

SBU – Industrial Packaging, 5, J. N. Heredia Marg, Ballard Estate, Mumbai- 400001, India Tel. No. 091 - 022 –66258208/66258191 Fax No. 091 - 022– 66258200

NOTICE INVITING TENDER

Tender No. 0100LE0772 dated 15.2.2017

Due date of Tender : 27.2.2017 at 15:00 hrs. Opening of Price Bid: 27.2.2017 at 15:30 hrs.

Online e-bids are invited for "Erection of Temporary Monsoon Shed" at our Taloja (Navi Mumbai) Plant through Balmer Lawrie e. procurement Portal https://balmerlawrie.eproc.in

The bidder should be registered in Balmer Lawrie Web Portal through C1 India for online e.bidding.

Contact details

Balmer Lawrie & Co.Ltd.	C1 India Pvt.Ltd.	
SBU-Industrial Packaging,	603,Coral Classic,20th Road,	
5, J .N. Heredia Marg, Ballard Estate	Near Ambedkar Park, Chembur	
Mumbai – 400 001.	Mumbai-400 071	
Contact Persons:	Contact Persons:	
1.Shri Nayan Yadav,Mob.08879294183	1. Mr. Tuhin Ghosh, Mob 08981165071	
Land Line No.022 66258191	Email – tuhin.ghosh@c1india.com	
e.mail: Yadav.nd@balmerlawrie.com	2. Mr. Tirtha Das, Mob 9163254290	
	email - tirtha.das@c1india.com	
2.Smt A Couto, Mob. 09004002269	3. Mr. Ravi Gaiwal, Tel +9619379192	
Land Line No.022 66258208	Email - ravi.gaiwal@c1india.com	
e.mail: amanda.c@balmerlawrie.com	4. Mr. Siva Kumar, Mob. +91 9042773377	
	Email – siva.kumar@c1india.com	

1. Introduction

Balmer Lawrie & Co. Ltd under the Ministry of Petroleum & Natural Gas is a Government of India Enterprise with its corporate office at 21, Netaji Subhas Road, Kolkata-700 001. Industrial Packaging is a Strategic Business Unit of the company manufacturing steel drums.

A. Instructions for bidders

 Online Single bid e-Tenders are invited for "Erection of Temporary Monsoon Shed" at our Taloja (Navi Mumbai) Plant of as per detailed specification contained in Annexure I of this tender.

2. Please Refer to Annexure - I for detailed Technical Specifications

- **3.** The tender is invited **in Single-Bid System** through Balmer Lawrie e-procurement portal https://balmerlawrie.eproc.in. The tender document consists of **Price Bid.**
- **4.** All documents required in the tender can be scanned and submitted online through appropriate forms as attached in the tender.
- 5. Important points to be noted

5.1 Due date for submission of bids: 27.2.2017 at 15:00 hrs.

5.2 Price Bid Opening : 27.2.2017 at 15:30 hrs.

All Bids are to be completed and submitted online in accordance with tender requirements within the duration as mentioned. The bidders are requested to bid online within the tender announcement date and tender closing date and time as mentioned in the tender document.

The term <u>"BL"</u> wherever mentioned in the tender document refers to <u>"Balmer Lawrie & Co. Ltd."</u>

BL would be the Purchaser/Owner for the tendered item.

The successful bidder will be the Supplier.

This document is the Tender.

The Acceptance of the Order by the successful bidder will form the contract.

6. Bid Security / Earnest Money Deposit (EMD) / Bid Bond – As per Clause no. 1 of the Special Terms & Conditions of this Tender document

NSIC/MSME/DIC UNITS WITH VALID REGISTERATION WITH NATIONAL SMALL INDUSTRIES CORPORATION LIMITED (NSIC/MSME/DIC), FOR THE ITEM TENDERED ARE EXEMPTED FROM PAYMENT OF EARNEST MONEY DEPOSIT. NOTE: - Bidder having NSIC/MSME/DIC Registration needs to attach complete set of copies of valid Certificate applicable for the tendered item.

Response from BL registered Vendors alone will be accepted and that other interested Vendors may seek to register with the unit and subject to such registration being confirmed, they would be considered for subsequent Tenders.

7. Corrigendum to tender:

The bidder has to keep track of any changes by viewing the addendum / Corrigendum's issued by the Tender Inviting Authority on time-to- time basis in the E-Procurement platform/ newspapers. The Company calling for tenders shall not be responsible for any claims/problems arising out of this.

8. Format of Tender Document

Tender Documents consist of:

- A. Instruction for bidders
- B. Special Terms & Conditions
- C. General Terms & Conditions
- D. Annexure I Scope of Work
- E. Annexures II Price Bid.
- F. Annexure III Addresses of Balmer Lawrie location
- G. Annexure IV Bank Details for SWIFT/RTGS Transfers
- H. Annexure V Conditions for Online Bid submission
- I. Annexure VI- Code of Conduct for Balmer Lawrie & Co. Suppliers

The bidder is expected to examine the Tender documents, including all instructions, forms, General Terms & Conditions, Special Terms & Conditions, Technical Specifications and other documents and to fully familiarize itself with the requirements of the bidding documents. Failure to furnish all the information required by the Bidding Documents or the submission of a bid not substantially responsive to the Bidding Documents in every respect may result in the rejection of the Bid.

9. Late Bids

No bidding is admissible in the E.Proc platform after the bid closing date.

10. Bid Validity

The offer shall remain valid for a period of **three months** from the date of opening of the Price Bid which will be normally one month from opening of Technical Bid.

11. Bid Rejection Criteria

A bid may be rejected if

- If the bidder fails to send the Earnest Money Deposit (EMD)/Bid Bond amount within the bid due date.
- ii. If the bidder does not submit the supporting documents specified.
- iii. The deviations from the terms mentioned in the document affects in any way the scope, quality and performance.
- iv. Conflict of interest between the bidder and the Company is detected at any stage.

12. Clarifications

Clarifications that the Bidder needs to have on the tender specification can be sought from BL in writing within one week from the date of issue of this enquiry.

All clarifications shall be by e-mail (Only email queries shall be replied)

13. Opening of Price Bid

The price bids of bidders with valid offers as set by BL shall only be opened.

14.Complete Scope of Work

The complete scope of work has been defined in Annexure I of the tender document.

15. Tender Documents and Deviations

It is expected that bidders will submit bids based strictly on the terms and conditions and specifications contained in the bidding documents and will not stipulate any deviations. Deviation from technical specifications, as given in the tender document Annexure-I would invite immediate disqualification from further consideration of the bid.

16.Language of Bids

The Bid prepared by the bidder, all documents attached to and/or relating to the bid and all correspondence exchanged by the Bidder and BL shall be written in English language only.

Any printed literature furnished by the bidder may be written in any other language provided that this literature is accompanied by an authenticated English translation, in which case, for purpose of interpreting the Bid, the English translation shall govern.

17. Preparation and submission of Tender Documents

The bidders are required to fill the tender document in a format as outlined below in the E.Proc platform:

a. Price Bid (Annexure II is Price Bid)

The tender would be finalized on the basis of Composite Lowest Nett delivered price (NDP) in Indian Rupee, for the item mentioned in the scope of work.

The Price bid should not contain any information other than the price. The price is to be mentioned in both Figures and words and where there is a difference between the two, rate given in words will be taken as authentic.

Price bid should be filled as per the format provided (Annexure II).

b. After submission of bid online, the bidders are requested to submit the demand drafts / bank guarantee towards tender fees and / EMD along with hard copies of other documents which cannot be uploaded as required, to the Tender Inviting Authority before the due date at our Ballard Estate Office.

B. SPECIAL TERMS & CONDITIONS

1. Earnest Money Deposit (EMD)/BID BOND

Earnest Money Deposit Amount to be deposited in the form of Pay order / Demand Draft in Favour of Balmer Lawrie & Co. Ltd, payable at Mumbai for INR 3,000.00 (Rs. Three thousand only). Bidders have to submit Earnest Money Deposit by Demand Draft/Pay order/Bank Transfer in favour of Balmer Lawrie & Co. Ltd., payable at Mumbai, India. The Demand Draft/Pay order has to be made from a Scheduled Indian Bank. The EMD/Bid Bond if remitted by bank transfer should have been credited to our Bank Account on the day prior to the Due date for the tender. BL's bank details to facilitate bank transfer are given in Annexure-VI to this tender. Cheque / Cash payment is not acceptable towards EMD / Bid Bond.

- a) OFFERS RECEIVED WITHOUT EMD WILL BE REJECTED
- b) For the successful bidder, the EMD will be refunded only after they submit the necessary Security Deposit against the work order placed on them. EMD will carry no interest.

- c) For the unsuccessful bidders, the EMD will be refunded only after the successful bidder has accepted the Purchase order and the acknowledgement of the same has been received by BL.
- d) Linking of EMD amount with earlier transactions / adjustments with pending bills or any other amount payable by the company is not allowed.

2. EMD is liable to forfeiture in the event of:

- a) Withdrawal of offers during validity period of the offer
- Non acceptance of orders by the bidder within the stipulated time after placement of LOI / order
- c) Any unilateral revision made by the bidder during the validity period of the offer
- d) Non execution of the prescribed documents after acceptance of the contract
- e) Non submission of Security Deposit

3. Security Deposit (SD)

Security Deposit amount of 5% of the basic order value to be deposited by the successful Bidder in the form of Pay order / Demand Draft in favour of Balmer Lawrie & Co. Ltd, payable at Mumbai. (Ballard Estate Office,5 J.N.Heredia Marg,Mumbai-400 001.

The Security Deposit to be submitted within 10 days of receipt of the Purchase Order. Security Deposit can also be made directly to our Standard Chartered Bank (Account No. 222-0-526803-6, NEFT Code - IFSC "SCBL0036046) through electronic transfer and proof of transfer of funds deposited with us.

Cheque/Cash or any other forms of payment are not acceptable towards Security Deposit.

- i. The Security Deposit will not bear any interest and shall be refunded to successful bidder, only on successful delivery of the tendered item.
 - ii. All sums of compensation or other sums of money as determined, if any, payable by the bidder may be deducted from the Security Deposit.
 - iii. EMD of the successful bidder will be adjusted in Security Deposit.
- 4. Security Deposit is liable for forfeiture, if
 - (a) Non supply after Acceptance of Purchase Order.
 - (b) Successful Bidder fails to deliver the item as per the terms & condition of the Purchase Order.
 - (c) Successful bidder violates the tender condition.
 - (d) If the performance of the bidder is found to be unsatisfactory.
 - (e) Security Deposit will be refunded only after successful completion of the contract.

5. Payment Terms:

Our payment terms are as follows:

Payment will be made within 30 days from date of dismantling and removal of your material from our premises based on actual joint measurement.

Acceptance of any differential terms of payment offered by a bidder as against the terms specified in this document will be solely at the discretion of BL.

6. Tenderer should quote only rate per square foot basis and any other basis is not acceptable. Offer from Bidder should contain all the elements such as Basic rates per square foot, Taxes Excise duty, and Sales Tax etc. Excise Duty, Sales tax and Freight should be shown separately.

7. Period of contract

1.6.2017 TO 31.10.2017.

8. Risk Purchase

In case of failure of erection of temporary monsoon shed within the stipulated period, we reserve the right to cancel the order placed on you, and get the job done from any other source and the deduction on account of penalty as well as excess mount to be incurred by us, would be recovered from the vendors EMD/SD held with us.

9. Award of Contract

The contract would be awarded to the L1 bidder only.

Negotiations, if held, will be only with the lowest bidder.

11 LIQUIDATED DAMAGES FOR DELAY IN DELIVERY / QUALITY PROBLEMS

Successful bidder shall have to pay to the company by way of liquidated damages and not as penalty an amount equal to 1.0 % of the value of the materials so delayed for each week or part thereof such delay in delivery, subject to maximum of 5% of the total order value.

C. GENERAL TERMS AND CONDITIONS

1. Introduction

The bidder means the firm or company with whom the order is placed and shall be deemed to include the bidder, successors, representatives, heirs, executors and administrators.

Whenever there is a duplication of clause in the terms and conditions, the clause which is beneficial to BL will be considered applicable at the time of any dispute.

2. Scope of Work

Scope of work for the tender shall be as mentioned in Annexure I.

3. Reference for Documentation

Purchase Order Number must appear on all correspondence, drawings, invoices, packing and on any documents or papers connected with the order.

4. Confirmation of Order

The successful bidder shall acknowledge the receipt of purchase order within 10 days following the mailing of this order in writing or through email and shall thereby confirm his acceptance of purchase order in entirely without exceptions

5. Relaxation of Tender Terms & Conditions

BL reserves the right to relax any of the tender conditions, if necessary, while finalizing the tender at its discretion.

6. Rejection of Bids

The bid of any bidder may be rejected if a conflict of interest between the bidder and BL is detected at any state. BL reserves the right to accept any tender in whole or in part and reject any or all tenders without assigning any reason. The decision of BL in this connection will be final.

7. Delays

7.1 Delay in Bidding

Late tenders / delayed tenders including postal delay and those not conforming to the prescribed terms and conditions will not be considered.

7.2 Delay in Delivery

The bidder shall try to complete the delivery as mentioned in the scope of work within the stipulated time. Delays in delivery or completion will attract Liquidated damages as mentioned in Special Terms & Conditions Clause no. 15.

8. Delay due to Force Majeure

In the event of causes of force Majeure occurring within the agreed delivery terms, the delivery dates can be extended by the tenderer on receipt of application from the bidder within stipulated delivery period. Only those causes that depend on natural calamities, civil wars, national strikes and strikes /lockout at Bidder's works which have duration of more than seven consecutive calendar days are considered the causes of Force Majeure. The bidder must advise BL by a registered letter duly certified by local chamber of commerce or statutory authorities, the beginning and end of cause of delay immediately, but in no case later than 10 days from the beginning and end of such cause of Force majeure condition as defined above. BL reserves the right to ask Bidder to suspend despatches of goods/materials covered by this order for such period as they may think fit in the event of strikes, accidents or other causes beyond BL's control.

9. Sub-Contracts

The successful bidder shall not assign the Contract in whole or part without obtaining the prior written consent of BL. The bidder shall, notwithstanding the consent and assignment, remain jointly and severally liable and responsible to BL together with the assignee, for and in respect of the due performance of the contract and the bidder's obligations there under.

10. HSE Clause

1.	HSE REQUIREMENTS BY CONTRACTORS	
a.	Housekeeping	
b.	Contractors shall ensure that their work area is kept clean tidy and free from debris. The work areas must be cleaned on a daily basis. Any disposal of waste shall be done by the Contractor. All equipment, materials and vehicles shall be stored in an orderly manner. Access to emergency equipment, exits, telephones, safety showers, eye washes, fire extinguishers, pull boxes, fire hoses, etc. shall not be blocked or disturbed.	
C.	Confined Space	
d.	Before commencing Work in a confined space the Contractor must obtain from Owner a Permit to Work, the Permit to Work will define the requirements to be followed As minimum Contractors must ensure the following: a. Confined spaces are kept identified and marked by a sign near the entrance(s). b. Adequate ventilation is provided c. Adequate emergency provisions are in place d. Appropriate air monitoring is performed to ensure oxygen is above 20%. e. Persons are provided with Confined Space training. f. All necessary equipment and support personnel required to enter a Confined Space is provided.	
e.	Tools, Equipment & Machinery	
f.	The Contractor must ensure that all tools & equipment provided for use during the Work is: a. suitable for its intended use; b. safe for use, maintained in a safe condition and where necessary inspected to	
	ensure this remains the case (any inspection must be carried out by a competent	

- person and records shall be available);
- c. Used only by people who have received adequate information, instruction and training to use the tool or equipment.
- d. Provided with Earth leakage circuit breaker (ELCBs) at all times when using electric power cords. Use of electrical tape for temporary repairs is prohibited.

d. Working at Height

Any Work undertaken where there is a risk of fall and injury is considered to be working at height.

For any Contractor Personnel working at height, Contractors shall provide fall prevention whenever possible and fall protection only when fall prevention is not practicable. Before commencing Work in a height the Contractor must obtain from Owner a Permit to Work, the Permit to Work will define the requirements to be followed. Supervisor must be present at all point of time, to ensure no deviation occur during the course of work.

e. | Fall Prevention System :

Fall prevention systems (e.g. fixed guardrails, scaffolds, elevated work platforms) must provide protection for areas with open sides, including exposed floor openings.

f. Fall Protection Systems

Where fall protection systems are used then the Contractor must ensure the following is applied:

- 1. Only approved full body harness and two shock-absorbing lanyards are used,
- 2. Prior establishment of a rescue plan for the immediate rescue of an employee in the event they experience a fall while using the system,
- 3. Anchorage points must be at waist level or higher; and capable of supporting at least the attached weight,
- 4. Lifeline systems must be approved by Owner before use.
- 5. Use of ISI marked industrial helmet at all point of time.

g. Scaffolding

All scaffolds shall subject to a documented inspection by a competent person and clearly marked prior to use. The footings or anchorage for scaffolds shall be sound, rigid and capable of carrying the maximum intended load without settling or displacement. All scaffolding materials should be of MS tubular type. Guardrails and toe-boards shall be installed on all open sides and ends of scaffold platforms. Scaffolds shall be provided with an access ladder or equivalent safe access. Contractor Personnel shall not climb or work from scaffold handrails, mid-rails or brace members.

h. Stairways and Ladders

Ladders should only be used for light duty, short-term work or access in line with the below and the Site Requirements.

- 1. Fabricated ladders are prohibited.
- Ladders will be secured to keep them from shifting, slipping, being knocked or blown over.
- 3. Ladders will never be tied to facility services piping, conduits, or ventilation ducting.
- 4. Ladders will be lowered and securely stored at the end of each workday.
- 5. Ladders shall be maintained free of oil, grease and other slipping hazards
- 6.Ladders will be visually inspected by a competent person and approved for use before being put into service. Each user shall inspect ladders visually before using.
- 7.Ladders with structural defects shall be tagged "Do Not Use," immediately taken out of service, &removed from the Site by end of the day.

i. Lifting Operations

- Cranes and Hoisting Equipment: Contractors shall operate and maintain cranes and hoisting equipment in accordance with manufacturer's Specifications and legal requirements. Only Contractor Personnel trained in the use of cranes and hoists are permitted to use them.
- 2. Lifting Equipment and Accessories: All lifting equipment / accessories e.g., slings, chains, webbing, chain blocks, winches, jacks etc shall be indicated with their safe working load have an identification number visible on the unit and be inspected and tested in accordance with legal requirements. Damaged equipment / accessories

	and equipment shall be tagged "out of use" and immediately removed from Site.
j.	Lockout Tag out ("LOTO")
	Prior to performing work on machines or equipment, the Contractor shall ensure that it is
	familiar with LOTO and
	Permit to Work procedures and that all of its affected Contractor Personnel receive the
	necessary training.
k.	Barricades
	Floor openings, stairwells, platforms and walkways, and trenching where a person can
	fall any distance shall be adequately barricaded and where necessary, well lit. Where
	there is a risk of injury from a fall then rigid barriers must
	be used .Barricades must also be used to prevent personnel entering an area where risk
	of injury is high e.g., during overhead work activity or electrical testing etc. Such
	barricading must provide clear visual warning.
I.	Compressed Gas Cylinders
	Gas cylinder shall be securely stored and transported, and identified and used in line
	with the local requirements. Hose lines shall be inspected and tested for leaks in line
	with local requirements. Flash Back arrestor to be used to prevent any explosion due to
	back fire.
m.	Electrical Safety
	Prior to undertaking any work on live electrical equipment the Contractor must obtain a
	Permit to Work from Owner. Where ever possible live work should be avoided. Any
	control measures highlighted shall be implemented prior to work commencing.
	The below measures will be taken:
	a) Work practices must protect against direct or indirect body contact by means of tools
	or materials and be suitable for work conditions and the exposed voltage level.
	b) Energized panels will be closed after normal working hours and whenever they are
	unattended. Temporary wiring will be de-energized when not in use.
	c) Only qualified electrical Contractor Personnel may enter substations and/or
	transformer and only after being specifically authorized by Owner.
ın	Hot Works
n.	Hot Works A Permit to Work must be obtained from Owner prior to any hot works (welding grinding
n.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding,
n.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available.
n.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if
n.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a
n.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from
n.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner.
n. 0.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work.
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night.
	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to Owner's prior approval. Wastes (includes rinse from washing of equipment, PPE, tools,
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to Owner's prior approval. Wastes (includes rinse from washing of equipment, PPE, tools, etc) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground.
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to Owner's prior approval. Wastes (includes rinse from washing of equipment, PPE, tools, etc) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground. Solid or liquid wastes that are hazardous or regulated in any way are not to be disposed
0.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to Owner's prior approval. Wastes (includes rinse from washing of equipment, PPE, tools, etc) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground. Solid or liquid wastes that are hazardous or regulated in any way are not to be disposed of in general site waste receptacles.
О.	A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects. Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner. Trenching Excavating, Drilling and Concreting A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work. Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night. Environmental Requirements Waste Management: The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to Owner's prior approval. Wastes (includes rinse from washing of equipment, PPE, tools, etc) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground. Solid or liquid wastes that are hazardous or regulated in any way are not to be disposed

Emissions: The Contractor shall identify and quantify any emission sources associated with the Works. The control measures associated with these emission shall be subject to the approval of Owner's Emissions include but are not limited to noise, dust, fumes, vapors.

11. Control Regulations

Successful bidder warrants that all goods/materials covered by this order have been produced, sold, despatched, delivered and furnished in strict compliance with all applicable laws regulations, labour agreement, working conditions and technical codes and statutory requirements as applicable from time to time. All laws and regulations required to be incorporated in executing this tender are hereby deemed to be incorporated by this reference. Owner can disown any responsibility for any irregularity or contravention of any of the statutory regulations in the manufacture or supply of goods covered in the order. The Bidder shall ensure compliance with the above and shall indemnify tenderer against any actions, damages, costs and expenses of any failure to comply as aforesaid.

12. Termination

Without prejudice to BL's right to price adjustment by way of discount or any other right or remedy available to BL, BL may terminate the Contract of any part thereof by a written notice to the bidder if:

- i. The bidder fails to comply with any material term of the Contract.
- ii. The bidder informs BL of its inability to deliver the item or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii. The bidder fails to deliver the item within the stipulated Delivery Period and/or to replace any rejected or defective item promptly.
- iv. The bidder becomes bankrupt or goes into liquidation.
- v. The bidder makes a general assignment for the benefit of creditors.
- vi. A receiver is appointed for any substantial property owned by the bidder.
- vii. The bidder has misrepresented to BL, acting on which misrepresentation, BL has placed the Purchase Order on the bidder.

Upon receipt of said termination notice, the bidder shall immediately stop supply.

On termination of the contract, without prejudice to any other right or remedy available to BL under the contract, in the event of BL suffering any loss on account of delayed delivery or non-delivery, BL reserves the right to claim and recover damages from the bidder in respect thereof. The EMD / Security Deposit will be forfeited

13. Arbitration

Any dispute or difference arising under this Contract shall be referred under jurisdiction of **Kolkata** to a sole arbitrator to be appointed by the Chairman & Managing Director, Balmer Lawrie & Co. Limited and the provisions of Arbitration Act, 1996 including any statutory modifications or enactment thereof shall apply to the Arbitration proceedings. The fees of the arbitrator, if any, shall be shared equally by both the parties. The award shall be a speaking award stating reason therefor and is final & binding on the parties. The proceeding shall be conducted in English language and courts at **Kolkata** will have exclusive jurisdiction to settle any dispute arising out of this contract.

14.CONTRACT LABOUR REGULATIONS

a) The Contractor shall obtain the required contract labour license issued by the authority designated under the Contract Labour (Regulation & Abolition) Act-1970. The Contractor shall not undertake or execute any work through contract labour except under and in accordance with the license issued in that behalf by the Licensing Officer.

- b) The Contractor shall not undertake or execute or permit any other agency or sub-Contractor to undertake or execute any work on the Contractor's behalf through contract labour except under and in accordance with the licence issued in that behalf by the Licencing Officer or other authority prescribed under the Contract labour (Regulation & Abolition) Act-1970.
- c) The Contractor will maintain all the statutory required registers, returns of the workmen engaged by him as prescribed under the act.
- d) A copy of the above wage cum muster register has to be submitted along with each months bill. Payment will not be made till the Contractor submits the aforesaid register.

The Contractor will retain the original wage cum muster register with their Manager at the site office and should produce the same for inspection by the authorized representative of the company and/or statutory representative.

e) Notices mentioning hours of work, period of wage payment, rates of wages, etc. as required under the relevant Act would also be displayed and copies as required would be sent to concerned statutory authorities by the contractor.

15. PAYMENT OF MINIMUM WAGES

- The Contractor will pay minimum wages as prescribed by Maharashtra State Government from time to time.
- b) The Contractor will in respect of personnel engaged by him maintain record of attendance and issue wage slip.

16. PAYMENT OF WAGES

The Contractor shall ensure payment of wages to all workmen employed/deployed/engaged by him in connection with the work before the expiry of the 7th day after the last day of wage period or as per the rules of the applicable state in respect of which the wages are payable.

17. PAYMENT OF BONUS

The Contractor shall be liable to pay the mandatory minimum bonus as prescribed under Payment of Bonus Act, 1965 to eligible personnel.

18. SAFETY AND WELFARE

- a) The Contractor shall be responsible for providing and maintaining various safety and welfare amenities in respect of the personnel engaged by him as per the provisions of Factories Act, 1948.
- b) The Contractor shall arrange to keep rest room / change room, toilet facilities and drinking water facilities provided to the personnel engaged by them in proper safe and hygiene condition.
- c) The Contractor shall provide safety clothing, shoes etc. to the personnel deployed by him for carrying out the jobs in the factory premises, as required.
- d) First aid medical facility will be made available at the plant and all employment injuries shall be attended to immediately by the Contractor.
- e) Any loss or damage that may arise to the Company on grounds of non-compliance with the above safety and welfare provisions shall be to the account of the Contractor.

19. WORKMEN COMPENSATION

In case the area where the Plant is located is not covered under ESI Act, 1948, then the Contractor shall organize insurance coverage through Workmen's Compensation Insurance Policy as per the Workmen's Compensation Act and any other Industrial Legislation that may be applicable, from time to time, for the prescribed amount of sum assured providing for payment of compensation in the event of death, injury or accident to persons engaged in course of or in connection with employment. The cost of the Workmen's Compensation Policy will be borne by the Contractor.

20. SUSPENSION OF WORK:

The Officer-in-Charge may at any time (s) at his discretion should he consider that the circumstances so warrant (the decision of Officer-in-Charge as to the existence of Circumstances warranting such suspension shall be final and binding upon the Contractor), by notice in writing to the Contractor temporarily suspend the work or any part thereof for such period (s), as Officer-in-Charge shall deem fit, and the Contractor upon receipt of the order of suspension forthwith suspend the work (s) or such part thereof as shall have been suspended until he has received a written order from the Officer-in-Charge to proceed with the work suspended or any part thereof.

The Contractor shall not be entitled to claim compensation for any loss or damage sustained by the Contractor by virtue of any suspension as aforesaid notwithstanding that consequent upon such suspension, the personnel of the Contractor or any part thereof shall be or become or be rendered idle and notwithstanding the liability of the Contractor to pay Salary, wages or hire charges or bear other charges and expenses thereof.

Unless the suspension is by reason of default or failure on the part of the Contractor (and the reasons for the suspension stated by the Officer-in-Charge in any notice of Suspension as aforesaid inclusive as to the existence of a default or failure on the part of the Contractor if so stated in the notice shall be final and binding upon the Contractor).

21. TERMINAL PAYMENT TO PERSONNEL ENGAGED BY THE CONTRACTOR

- a) It should be clearly understood that the Company owes no responsibility in respect of personnel engaged by the Contractor, other than in the capacity of the Principal Employer and/or to the extent dictated under various law.
- b) On cessation of the contract, by way of non-renewal or otherwise, all responsibility, financial or otherwise, in respect of personnel engaged by the Contractor shall be that of the Contractor himself.
- c) Payment of terminal dues applicable, if any, shall be to the account of the Contractor and he shall be responsible for the full and final settlement and payment of all terminal dues such as leave pay, notice pay and retrenchment compensation, gratuity etc. to all personnel who may have been engaged by him in connection with the fabrication contract.
- d) It will be the Contractor's responsibility to ensure that the personnel engaged by him peacefully and orderly vacate the Company's premises, without any claim or demand on the Company.

22. CONFIDENTIALITY / SECRECY

The successful Contractor would have to acknowledge that any confidential information received by them from BL or to which it has access, in connection with the discharge by the Contractor of its duties and obligations under and in accordance with the agreement required to be executed, or granted by BL to the Contractor and/or its employees/workmen and/or contract labour to be engaged or employed by it in accordance with the terms hereof, would be under a duty/obligations of confidentiality and agrees that such confidential information shall not be disclosed or divulged to any third party without the prior written consent of BL and shall be used by the Contractor and/or employees/workmen and/or contract labour engaged or employed by it as aforesaid solely for the purpose of the discharge by the Contractor of its duties and obligations in accordance with the terms hereof.

For the purpose of this clause, "Confidential Information" shall mean all records, books, statements, vouchers, and other data or information (whether written, graphic or oral) to be supplied or furnished by BL or on its behalf to the Contractor or to which BL would grant access to the Contractor, its employees/workmen and/or contract labour, as the case may be as aforesaid.

Company Seal	Signature	
	Name	
	Designation	
	Company	
	Date	

AT THE TIME OF BID SUBMISSION, YOU ARE REQUIRED TO UPLOAD AN UNDERTAKING STATING YOUR ACCEPTANCE OF ALL TENDER TERMS & CONDITIONS.

SCOPE OF WORK

1. PERIOD OF CONTRACT

1.6.2017 TO 31.10.2017.

[Erection of the shed to be completed by 31.5.2017]

2. AREA VARIATION [+/- 10%]

Sr.I No	Particulars	Unit
1.0	Top Covered Area	16800 sq ft
2.0	Side Covered Area	11800 sq ft

ANNEXURE VI

PRICE BID – to be filled by BIDDER

SI No	Particulars	Unit (Quantity)	Rate/sq ft [For the contract period]	Total Value (Rs.)
1.0	Top Covered Area	16800 sq ft		
2.0	Side Covered Area	11800 sq ft		
	Sub Total			
	Service Tax @14.00% on Sub total			
	VAT @1.5% on Sub Total.			
	Swach Bharat Tax @0.5% on Sub Total			
	Krishi Kalyan Tax @0.5%on Sub Total.			
	TOTAL AMOUNT (In Figures)			
	TOTAL AMOUNT (In Wor	ds)		

I / We have studied the Tender Documents carefully and have quoted our lowest rates, in accordance with the $\bf Special\ Terms\ and\ Conditions\ and\ General\ Terms\ \&\ Conditions\ as$ laid down in the Tender Documents.

Company Seal:

Company Seal	Signature
	Name
	Designation
	Company
	Date

ANNEXURE - III

- D. ADDRESS OF BALMER LAWRIE PLANT
- Balmer Lawrie & Co. Ltd.,
 SBU- Industrial Packaging,
 G 15,16,17, MIDC, Taloja,
 District Raigad (Maharashtra) 410208

ANNEXURE - IV

E. BANK DETAILS FOR SWIFT/RTGS TRANSFERS

1	Name	BALMER LAWRIE & CO. LTD.,
2	Supplier Code	
3	Permanent Account Number (PAN)	AABCB0984E
4	Particulars of the Bank Account	
	A. Name of the Bank	Standard Chartered Bank
	B. Name of the Branch	M.G. Road
	C. Branch Code	29
	D. Address	90, M.G. Road, Mumbai-400001, India
	E. City Name	Mumbai
	F. Telephone No.	+9122 22683300
	G. NEFT/RTGS IFSC Code	SCBL0036046
	H. 9 digit MICR code appearing on the cheque book	400036002
	I. SWIFT CODE	SCBLINBBXXX
	J. Type of Account	Current
	K. Account No. appearing on the cheque	222-0-526803-6
5	Vendor's e mail id	

ANNEXURE-V

H. CONDITIONS FOR ONLINE BID SUBMISSION

<u>Pre-Requisites Before Login to System (Software requirements.)</u> Minimum System Requirements:

- P 4 or Later Processor
- Minimum of 1 GB of RAM
- Minimum 1 USB port (If Certificate is in USB Token)
- DSC Dongle driver should be installed before logging in
- Reliable Internet Connectivity
- Certificate with full chain
- Certificate should not be expired it should be valid certificate

Operating System:

Windows 7,8,10

Browser Version:

• Internet Explorer Versions 11

Java Component:

- Go to Control panel>Add/Remove Programs>
- Check whether Java Runtime Environment (Latest 32 bit) is installed on your machine or not.

Procedure for Bid Submission

The bidder shall submit his response through bid submission to the tender on e-Procurement platform at https://balmerlawrie.eproc.in by following the procedure given in the Catalogue.

Registration with e-Procurement platform:

For registration and online bid submission bidders may contact HELP DESK of M/s C1 India Pvt., Ltd.

Contact Nos. and email IDs for C1 India helpdesk officers

- 1. Mr. Tirtha Das, Mob 9163254290 email tirtha.das@c1india.com
- 2. Mr. Tuhin Ghosh, Mob 08981165071 Email tuhin.ghosh@c1india.com
- 3. Mr. Ravi Gaiwal, Tel +9619379192 Email ravi.gaiwal@c1india.com
- 4. Mr. Siva Kumar, Mob. +91 9042773377 Email siva.kumar@c1india.com

Balmer Lawrie's officials.

Contact nos. and e.mail ID's

- 1.Shri Nayan Jadhav ,Mob.8879294183 Land Line No.022 66258191 e.mail: vadav.nd@balmerlawrie.com
- 2.Smt Amanda Couto ,Mob.9004002269 Land Line No.022 66258208 e.mail: amanda.c@balmerlawrie.com

Digital Certificate authentication:

The bidder shall authenticate the bid with his Digital Certificate (Class II) for submitting the bid electronically on e .Procurement platform and the bids not authenticated by digital certificate of the bidder will not be accepted on the e-Procurement platform.

All the bidders who do not have Digital Certificates need to obtain Digital Certificate. They may contact Help Desk of C1 India Pvt. Ltd.

Bid Submission Acknowledgement:

The user should complete all the processes and steps required for bid submission. The successful bid submission can be ascertained once acknowledgement is given by the system through bid submission number after completing all the processes and steps. Tender Inviting Authority and C1 India Pvt. Ltd. will not be responsible for incomplete bid submission by users. Users may also note that the incomplete bids will not be saved by the system and are not available for the Tender Inviting Authority for processing.

Before uploading scanned documents, the bidders shall sign on all the statements, documents, certificates uploaded by him, owning responsibility for their correctness / authenticity.

Disclaimer Clause:

The Company (Balmer Lawrie & Co. Ltd.) nor the service provider (C1 India Pvt. Ltd.) is responsible for any failure of submission of bids due to failure of internet or other connectivity problems or reasons thereof.

Annexure - VI

I. CODE OF CONDUCT FOR BALMER LAWRIE & CO. SUPPLIERS.

This Code of Conduct defines the basic requirements placed on Balmer Lawrie & Co.'s suppliers of goods and services concerning their responsibilities towards their stakeholders and the environment. Balmer Lawrie & Co. reserves the right to reasonably change the requirements of this Code of Conduct due to changes of the Balmer Lawrie & Co. Compliance Program. In such event Balmer Lawrie & Co. expects the supplier to accept such reasonable changes.

The supplier declares herewith:

f Legal compliance

o to comply with the laws of the applicable legal system(s).

f Prohibition of corruption and bribery

o to tolerate no form of and not to engage in any form of corruption or bribery, including any payment or other form of benefit conferred on any government official for the purpose of influencing decision making in violation of law.

f Respect for the basic human rights of employees

- o to promote equal opportunities for and treatment of its employees irrespective of skin color, race, nationality, social background, disabilities, sexual orientation, political or religious conviction, sex or age;
- o to respect the personal dignity, privacy and rights of each individual; o to refuse to employ or make anyone work against his will;
- o to refuse to tolerate any unacceptable treatment of employees, such as mental cruelty, sexual harassment or discrimination;
- o to prohibit behavior including gestures, language and physical contact, that is sexual, coercive, threatening, abusive or exploitative;
- o to provide fair remuneration and to guarantee the applicable national statutory minimum wage;
- o to comply with the maximum number of working hours laid down in the applicable laws;
- o to recognize, as far as legally possible, the right of free association of employees and to neither favor nor discriminate against members of employee organizations or trade unions.

f Prohibition of child labor

o to employ no workers under the age of 18;

f Health and safety of employees

- o to take responsibility for the health and safety of its employees;
- o to control hazards and take the best reasonably possible precautionary measures against accidents and occupational diseases;
 - o to provide training and ensure that employees are educated in health and safety issues;
 - to set up or use a reasonable occupational health & safety management system;

f Environmental protection

- o to act in accordance with the applicable statutory and international standards regarding environmental protection;
- o to minimize environmental pollution and make continuous improvements in environmental protection;
 - o to set up or use a reasonable environmental management system;

f Supply chain

- o to use reasonable efforts to promote among its suppliers compliance with this Code of Conduct;
- to comply with the principles of non-discrimination with regard to supplier selection and treatment.