

Limited Tender : 1070LM137 dt. 22.02.2017

Please note "Response from Registered Vendors alone will be accepted" for participation in this Limited Tender.

In case your firm is already Registered & Approved Vendor of Industrial Packaging (or) other units of M/s. Balmer Lawrie & Co. Ltd., elsewhere in India, the details of the same to be provided prior to participating in this tender.

Other vendors may contact the undersigned for registering with the unit which is subject to confirmation by our company. Only after confirmation of their registration, they would be considered for participation in the subsequent tenders. "

Dear Sirs,

Sealed offers are invited for supply of **LOTO Material** to barrel plant, M/s. Balmer Lawrie & Co. Ltd., Industrial Packaging, Manali, Chennai – 600 068. **The Terms and Conditions and the Bid Form are enclosed herewith.**

On any clarification on material detail, the bidders may contact **Mr. Praveen Kumar, Jr. Officer (Electrical) 9444861761 / 2594 6644** during office hours between 10.00AM and 4.00PM.

Completed Bid Form by the bidder in all respect duly sealed and super scribed as **"Tender for supply of LOTO Material"** shall be forwarded to

**Executive (Purchase)
M/s. Balmer Lawrie & Co. Ltd,
(A Govt. of India Enterprise)
Industrial Packaging,
32, Sathangadu Village,
Manali, Chennai-68.**

The bidders shall send their bids either by **courier / post** (or) **dropped in the Tender Box kept at the above address.**

The last date for submission of bids for the above tender is on or before 04.03.2017 at 3.00PM.

Details of the tender are also available in our company's website **www.balmerlawrie.com**

Thanking you

Yours faithfully
for Balmer Lawrie & Co. Ltd.

(T.S. Elangovan)
Executive (Purchase)

☎-044-2594 6651 ✉ - elangovan.ts@balmerlawrie.com

TERMS AND CONDITION

1. The term **"Company (or) BLCL"** wherever mentioned in the tender document refers to **"BALMER LAWRIE & CO. LTD."**
2. The term **"bidder"** means the firm or company with whom the order is placed and shall be deemed to include the bidder, successors, representatives, heirs, executors and administrators duly approved by the company.
3. Period of Supply: **Within 10 days from date of placement of Order / Confirmation.**
4. The **contract shall be extended** on mutual agreement with the successful bidder as per tender terms for **further period / till exhausting the order quantity whichever is later.**
5. Quantity mentioned indicative and is subject to change depending upon market conditions.
6. The offer shall be submitted in our enquiry format only and any Conditional offers will not be accepted.
7. The offer must be kept valid for a minimum period of **60 Days from** the date of opening the offer.
8. The price quoted by the bidder shall remain valid till the supply is completed. During the tenure of the supply period, no price increase will be considered, except for change in statutory levies imposed by Union / State Govt. / Local authorities.
9. Payment: **30 Days from the date of receipt of material at our Stores.**
10. **Penalty Clause:** If the successful bidder fails to deliver the material on our intimation on our required quantity, approved quality etc., the company reserves the right to procure the material at the risk of the successful bidder from the open market at the then prevailing price and the additional cost if any incurred in this process will be recovered from the successful bidder. Further, failure in executing contract as per our schedule will be viewed seriously and the successful bidder may be debarred from participating in future tenders of the company.
11. The bids of any bidder may be rejected if a conflict of interest between the bidder and the Company is detected at any stage.
12. Late tenders / delayed tenders including postal delay and those not conforming to the prescribed terms and conditions will not be considered at all.
13. The company would not carry out any negotiations except with such bidders who is / are the lowest quoted bidders originally. As such it would be in the interest of the bidders to quote the lowest possible price.
14. Whenever there is a duplication of clause in the terms and conditions, the clause which is beneficial to the Company will be considered applicable at the time of any dispute.
15. It shall be understood that every endeavor has been made to avoid error which may materially affect the basis of the tender and the successful bidder will take upon himself to provide for risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.
16. **Control Regulations: Successful bidder warrants** that all goods/materials covered by this order have been produced, sold, despatched, delivered and furnished in strict compliance with all applicable laws regulations, labour agreement, working conditions and technical codes and statutory requirements as applicable from time to time. All laws and regulations required to be incorporated in executing this tender are hereby deemed to be incorporated by this reference. Owner can disown any responsibility for any irregularity or contravention of any of the statutory regulations in the manufacture or supply of goods covered in the order. The Bidder shall ensure compliance with the above and shall indemnify tenderer against any actions, damages, costs and expenses of any failure to comply as aforesaid.
11. Termination:

Without prejudice to BLCL's right to price adjustment by way of discount or any other right or remedy available to BLCL, BLCL may terminate the Contract of any part thereof by a written notice to the bidder if :

 - i. The bidder fails to comply with any material term of the Contract.
 - ii. The bidder informs BLCL of its inability to deliver the item or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
 - iii. The bidder fails to deliver the item within the stipulated Delivery Period and/or to replace any rejected or defective item promptly.
 - iv. The bidder becomes bankrupt or goes into liquidation.
 - v. The bidder makes a general assignment for the benefit of creditors.
 - vi. A receiver is appointed for any substantial property owned by the bidder.
 - vii. The bidder has misrepresented to BLCL, acting on which misrepresentation, BLCL has placed the Purchase Order on the bidder. Upon receipt of said termination notice, the bidder shall immediately stop supply.

On termination of the contract, without prejudice to any other right or remedy available to BLCL under the contract, in the event of BLCL suffering any loss on account of delayed delivery or non-delivery, BLCL reserves the right to claim and recover damages from the bidder in respect thereof. The Security Deposit will be forfeited
17. **ARBITRATION:-** Any dispute or difference arising under this Contract shall be referred under jurisdiction of Chennai to a sole arbitrator to be appointed by the Chairman & Managing Director, Balmer Lawrie & Co. Limited and the provisions of Arbitration and Conciliation Act, 1996 including any statutory modifications or enactment thereof shall apply to the Arbitration proceedings. The fees of the arbitrator, if any, shall be shared equally by both the parties. The award shall be a speaking award stating reason therefor and is final and binding on the parties. The proceeding shall be conducted in English language and courts at Chennai will have exclusive jurisdiction to settle any dispute arising out of this contract.

BID FORM

1070LM0135 dt. 22.02.2017 due on 04.03.2017

SNo.	Description of Material	Make	Est. Qty.	Unit Price ₹	Amount ₹
1.	Safety Padlocks Jacketed – Di-Electric Shackles. Padlock with Di-Electric Shackles Ergonomic design with grippers on side walls Laser finish engraved numbering on 3 key & shackle. Serial number printed on 2 key-chain & lock label. Photo-luminescent (Dark glow) warning labels, Brass cylinders with ABS jacketed body. Model: - LT-LJ DE/CE Approved.	SLOTO	8 Nos		
2.	TAGS- Danger Customize Designs, Made on Polymer sheet with HQ Smudge resist print. Print can be as per customer's design. Premium refit to meet OSHA requirement of 1910.147, Water, chemical and abrasions resistant material. Thickness: 0.7MM Uniform, Model:- LT-TCM, CE Approved.	SLOTO	100 Nos		
3.	TAGS- Danger Standard (English Hindi) Made on polymer sheet with HQ smudge resist print. Thickness: 0.7MM Uniform, ss Premium refit to meet OSHA requirement of 1910.147 Water, chemical and abrasion resistant material. Print in dual language - English & Hindi Model:- LT-TDP-EH, CE Approved	SLOTO	100 Nos.		
4.	LOTO TAG (LT-TCM)	SLOTO	100 Nos.		
5.	LOTO TAG (LT-TCM)	SLOTO	100 Nos		
6.	Hasp –Stainless Steel ABS Coated-25mm Jaw MOC: Stainless Steel SS304 with Non-Conductive ABS coating (hold – area) Can Apply Six Locks at once and provision to attach similar hasp for tailing Model: - LT HVC25, CE Approved	SLOTO,	5 Nos		
7.	Hasp –Stainless Steel ABS Coated-38mm Jaw MOC: Stainless Steel SS304 with Non-Conductive ABS coating (hold – area) Can Apply Six Locks at once and provision to attach similar hasp for tailing Model: - LT HVC 38, CE Approved	SLOTO,	5 Nos		
8.	Hasp –Electro Four locks at once. MOC: highly flexible and non-conductive polymers, safe to use on electrical Panels .UV Stabilized for Outdoor application Shackle Thickness 8mm, Model: - LT-HEF, CE Approved	SLOTO	5 Nos		
9.	Cable Lockout - Knob Type, Ergonomic gripper on sides for ease of access, Stainless steel inner mechanism coated with non-conductive ABS Polymers, Model: - LT CK, CE APPROVED	SLOTO	4 Nos		
10.	MCB Pin Type Lockout - (Pin In), Pins open in outer direction and sit from inside. Made with Gun-Steel Spring, ABS & Steel Pin Working Cycle of over 20000 Clicks, Model: - LT-EPI,	SLOTO	5 Nos		
11.	MCB- Pin Type Lockout (Pin out), Pins open in outer direction and sit from inside. Made with Gun-Steel Spring, ABS and Steel Pin, Working Cycle of over 20000 Clicks ,Model: - LT EPO,	SLOTO	5 Nos		
12.	MCB- Pin Type Lockout (Pin out wide), Wide pins open in outer direction and sit from inside. Made with Gun-Steel Spring, ABS and Steel Pin Working Cycle of over 20000 Clicks, Model: - LT EPW,	SLOTO	5 Nos		
13.	MCCB Lockout – Large Toggle MOC : Engineering Grade ABS & SS Fastener Need Screw Driver to Operate Pre-molded nut and bolt mechanism to ensure zero thread damage caused by polymer & steel thread clash Model: - LT-EBL,	SLOTO	3 Nos		

SNo.	Description of Material	Make	Est. Qty.	Unit Price ₹	Amount ₹
14.	MCB Lockout Device with Common Toggle Slot MOC : Engineering Grade ABS & SS Fastener Tool Special Fastener (no need of screw driver) Machine driven screw-way to minimize thread damage caused by polymer and steel thread clash. Model: - LT- EBC,	SLOTO	5 Nos		
15.	Plug - Lockout – Small, Made of High Impact Resistant ABS Up to 16a Sockets Encapsulates the Plugs of Size 2.5"x2.5"x 3", Model: LT-EP SM,	SLOTO	8 Nos		
16.	Push button lockout device universal Unique design for push button-selector switch. Made of polycarbonate for transparency and strength Non-metallic detachable hinges for comfort. Suitable for 22 & 30mm push buttons / switches Dimensions: Outer height when Closed: 56mm (+5%) Cover 37mm x 47mm Ø - Base- 20 mm x 45.5mm Ø - Model: - LT-EPB UNI, , CE Approved	SLOTO	8 Nos		
17.	Push Button & SFU Lockout device (90 & 180 Degree) 2 Cutout option at 90°, 180°, for locking Devices at proper angle MOC: Polycarbonate, with ergonomic Hexagon shape Size : Cover: 105(l)X105(w)X-62(h),Base :118x118x12mm	SLOTO	8 Nos		
18.	Electrical Handle Arm LT-EHA Fastest means to enable LOTO on any SFU ,Base plate is fitted on panel in such a way that the device is beneath SFU handle in off position. The arms of the device will harness the SFU handle in this position to prevent movement. Easy to install - can be pasted, riveted or screwed MOC : Base : ABS, Arms : Steel, Size : 40mm x 40mm x 8mm, arm : 25x125mm (each). Model: - LT-EHA, Make : CE Approved LT-AEK-05,200 Nos	SLOTO	8 Nos		
19.	Hasp –Electro Four locks at once. MOC: highly flexible and non-conductive polymers, safe to use on electrical Panels. UV Stabilized for Outdoor application Shackle Thickness 8mm Model: - LT-HEF , CE Approved	SLOTO,	8 Nos		
20.	LOTO Station for locks, Tag &Material MS powder coat, Transparent Door, Handle to Open and Close/ Latch on side for Locking the Panel Size: 30 X 16 X 9 INCH / 1st row for Tags &2nd Row for Lock. 2 Adjustable shelves for other items / All areas Labeled for easy placing Model: - LT-SCL	SLOTO	1 No		
21.	Sloto Station (for Keys) 72 Keys (11 x 6), Moc: mild steel with powder Coat ,Front facia : transparent, Hooks / hangers to hang keys, Security latch with handle s, Outer size : 18 x 18 x 2 inch, Model : LT-SKS	SLOTO	1 No		
22.	Electrical panel door lock supports LT-AEK-05	SLOTO	200 Nos		
Total Cumulative Value (SNo.1 to 22) ₹					
VAT / CST (%)					
<p>1. The bidders should quote the price only on "per Unit Basis". Material shall be supplied on F.O.R. delivered at our plant on "DOOR DELIVERY" basis. Transit insurance shall be arranged by the bidder.</p> <p>2. Award of contract:</p> <p>i. The lowest [L1] bid would be arrived on the basis of * Nett Cumulative Price as shown above.</p> <p>ii. The L1 bidder will be given 100% of the order as above.</p> <p>The decision of the company is final in retaining more than one bidder.</p>					
TIN NO.		Contact Person			
PAN		Telephone Nos.			
MSME / SSI /NSIC		e-Mail ID			
We have quoted our price after studying carefully all the Tender Details, Terms and Conditions and we confirm to have accepted the same.					
Signature of the bidder with Seal & Date					