

### (G & L- Silvassa)

( A Government of India Enterprise )

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230. Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

### **TENDER ENQUIRY**

Tender No.:- GLS/TE17/136

Date:- 4/01/18

Due date :- 15/01/18 Till No. 6.00 PM

Dear Sirs,

### Sub.: Repairs of Laboratory Fume hood and working table

Sealed offers [Offers over Fax/Email would not be accepted] are invited only from our Registered Vendors for the subject supply as per the General Terms & Conditions and Price schedule is enclosed in annexure-A and B respectively.

Your offer, complete in all respect furnishing details of price break-up should be submitted to us on or before the due date.

SILVASSA

Thanking you,

Yours faithfully,

For Balmer Lawrie & Co. Ltd.

(S.K. Srivastava)

Manager (Purchase)

Encl.: As above



### (G & L- Silvassa)

( A Government of India Enterprise )

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230. Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

Annexure-A

### 1.0.0 General Terms & Conditions

- 1.1.0 General instruction: Do not leave any space blank or incomplete, write NA/NIL/Free wherever applicable. Each page of the offer (enclosures) has to be acknowledged by the bidder with their acceptance (signature & company stamp). In case of offer, which are not found in line with our guidelines and Terms & Conditions, may subject to rejection. If the tenderer find any discrepancy, omission, ambiguity or conflict in or among the documents forwarded or be in doubt as to their meaning and interpretations, such matter shall be brought to the attention of the BL (Balmer Lawrie & Co. Ltd.), at least four days before/prior to the date of filling/submission of the Tender.
- 1.2.0 Submission of offer: Bidder shall submit their sealed offer in a single bid/envelope, superscripting the envelope with tender No., date & due date along with following enclosures-
- 1.2,1 Covering letter with your reference number & date
- 1.2.2 Acknowledgment of General Terms & Conditions (Annexure-A)
- 1.2.3 Technical Specifications (Annexure–B)
- 1.2.4 Price schedule (Annexure-C)
- 1.3.0 Acceptance of offer: -Balmer Lawrie & Co. Ltd. reserves the right to reject/accept all or any offer(s) without assigning any reason whatsoever.
- 1.4.0 Selection & placement of offer:

Balmer Lawrie reserves the right to place the 'Purchase Order', which will be placed on the technically & commercially qualified vendor(s), whose total prices of all item are found lowest.

- 1.5.0 Jurisdiction: All disputes are subject to Silvassa jurisdiction.
- 1.6.0 Completion period: -The expected completion period of subject supply & installation should be 15 to 30 days from the date issue of Purchase Order (PO) or LOI which ever is earlier. However, the short/early completion period quoted by bidder for the job(s) may be preferred. The items should be delivered free to our woks Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa- 396230(D&NH).
- 1.7.0 Liquidated damages:-Vendor shall be liable to pay liquidated damages for the following.
- 1.7.1 Failure to complete supply of item to BL within the scheduled period. In such case, vendor shall be liable to pay liquidated damages @ 0.5% of PO value per week or part thereof subject to a maximum of 5.0%.
- 1.8.0 Price schedule: The price shall be quoted as per specified format given under the head price schedule as Annexure-C. The price must be quoted considering technical specifications (Annexure-B) NO Deviation shall be accepted..

Contact Person

Contact Number

Signature with official stamp

### 1745 1745

# Balmer Lawrie & Co. Ltd.

### (G & L- Silvassa)

( A Government of India Enterprise )

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230.

Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

- 1.9.0 Payment terms: (i) 100% on 30 days credit after complete supply as per PO on them for respective supplies with acceptance/certification by BL from date of submission.
- 1.10.0 Guarantee Period: -12 (Twelve) months from the date of successful supply of total material as per PO on them for respective supplies. During this guarantee period the performance of the supplied item has to be in line with the expected / agreed quality as per tender/PO and if not then vendor has to replace the total supply at NO EXTRA COST TO BL and to the satisfaction of BL/tender.
- 1.11.0 Validity of offer: The offers shall remain valid for a period of 60 days from the date of the offer.
- 1.12.0 **Documents**:- Vendor shall submit the product catalog/manual complete specifications and model approval certificate of the offered items.
- 1.13.0 Mandatory :- Vendor should submit Stamping certificate of weights & measure of the said items.

Contact Person

Contact Number :

Signature with official stamp

(<u>G & L- Silvassa)</u> ( A Government of India Enterprise )

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230.

Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

Annexure-B

	11	
The specification of material to be used	is as under	
i) TABLE TOP:		
Made of (18 to 20mm) thick Jet Black Gra	nite Top with	Edge moulding at the front & grove at the
bottom to avoid by chemical spillage. Sup	ported by Ned	oprene Rubber Strip 6mmx40mm Sheet.
iii) UNDERBENCH STORAGE MODULES :-		
Completely made of 20G CRCA sheets as	per IS 513 star	ndard.
The shutter & drawer front should be of	sandwich cons	truction. Foam sheet filled in shutter gaps
shutter		o minimize banging noise while closing the
The shutters are mounted to the module closing on return.		
Lockable roller bearing to be used so that which should		will not fall. The telescopic drawer slides
be very sturdy & able to take load upto arragement. Modules		
Completely finished with epoxy powdere	coating. with m	ninimum coating layer 70 to 80 micron.
iv)HARDWARE FITTINGS:		
A) Hinges :- "Haffele" Germany Make		
B) Handle :- Alluminium Recess Handel		
C) Screw :- All S.S. 304 Visible Screws.		
D) Lock :- Multi Purpose Lock with a pair	of keys.	1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a 1 a
eF)Sink :- Polypropylene Sink & black P.F	. anti-siphon l	oottle trap.
G)Utility Taps: - Three way "Epoxy powd	ler coated bras	ss taps with DIN 12920 color coding
v)Powder Coating:-	1 1 1	
Complete module & frame work are pro	cessed with 9	tank pre-treatment and finished with highly
corrossion resistant 'PolyBond' epoxy po	owder coating	With 70 - 80 microns
thickness and 1000 hours salt spray test		7 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
vi) ELECTRICAL RACEWAY WITH FITTING	GS (Internal W	/irring Done by Client Scope)
Make in 20G CRCA sheets with		4 (A) 40 (A)
a. NORTHWEST make MCB 16 Amp Swit	tch	
b. NORTHWEST make 6/16 Amp Socket	1.5.4	
vii) REAGENT RACK WITH FITTING (Inte	14.4.	Lu Client Coope)

(<u>G & L- Silvassa)</u> ( A Government of India Enterprise )

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230.
Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

	The Physics	Self 1
Make in 20G CRCA sheets with		
a. NORTHWEST make MCB 16 Amp Swit	ch	47
b. NORTHWEST make 6/16 Amp Socket		
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
viii) INHOUSE TEST FACILITIES [As per S	EFA Guidelines]	1 96;
Made in CRCA 1.6 mm Thick Square Tub	e & 30mm X 30mm	X 3mm Thick MS Angle. With Height
a. Base cabinet load test		
b. Base cabinet concentrated load test		
c. Base cabinet torsion test	i net Gu	
d. Base cabinet door load test	Total	1 1
e. Base cabinet door impact test		r pi
f. Base cabinet drawer static load test		
g. Base cabinet door and drawer pull ho	rizontal load test	1
h. Base cabinet door and drawer pull ve	ertical load test	At la
i. Base cabinet drawer internal rolling in	npact test	
ix) INHOUSE TEST FACILITIES FOR COAT	TING TEST	dl i ie
a. Pencil Hardness Test: With Test Cert	ificate (As per SEFA	Guidelines)
b. Scratch Test: With Test Certificate (A	s per ASTM Norms)	
c. Micron Test : With Test Certificate (A	s per ASTM Norms)	
d. Impact Test : With Test Certificate (A	s per ASTM Norms)	
e. Tubular Impact Test : With Test Certi	ficate (As per ASTM	Norms)
f. Erichen Cupping Test: With Test Cert	ificate (As per ASTN	1 Norms)
g. Gloss Test: With Test Certificate (As	per ASTM Norms)	18 Rt
h. Cross Hatching Test: With Test Certi		
i. Salt Spray Test: 1000 hours salt spray	test capability. With	h Test Certificate (As per ASTM Norms)
j. Bend Test : With Test Certificate (As p	oer ASTM Norms)	4 9
k. Conical Mandrel Test: With Test Cer	tificate (As per ASTN	M Norms)

Contact Person

Contact Number:

Signature with official stamp

(<u>G & L- Silvassa)</u> ( A Government of India Enterprise )

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230. Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

Tender No.:- GLS/TE17/136

Date:- 4/01/18

Due date :- 15/01/18 Till No. 6.00 PM

**Price Schedule** 

Annexure-C

Sr.No	DESCRIPTION	Unit	QTY.	RATE	AMOUNT
1	FUME HOOD			40	
	Laboratory Fume Hood (4 feet) 1.2Mtr	No.	1		0.00
	Auto Bypass, Standard	140.	-da		0.00
	External Size: 1200mm L x 1000mm W x 1500mm H				
	Internal Size: 920mm L x 750mm W x 1050mm H				
а	Centrifugal Blower (1.0 HP)	No.	1		0.00
b	PP Ducting Charges (Running feet) 10" (250mm)	RFT	15		0.00
	(Ducting charges: per Rft at actuals for more than 15 RFT)		ï		
2	WORKING TABLE	SET	1		
	Size :-4350mmL x 750mm D x 900mm H				
	Consisting of following items				
	i) Table Top:- 18to20mm Thick Black Granite				
1 15 4	ii)Under Bench Storage Unit:-Floor Mounted				
· †	a) One: Shutters & One Shelf Unit:- 1No	i den de la composition della			
	Size:- 500mm L x570mm D x870mm H				
	b) One Drawer/Two Shutters & One Shelf Unit:- 03Nos				
	c)Two Shutters & One Shelf Unit:-2Nos				
	Size:- 750mm L x570mm D x870mm H	Tall is			
1 1:12	iii)Electric Trunking				
	Size:- 4300mmL x100mm D x100mm H:-1No				
	Fitted of 06Nos 6/16 Amp Switch Socket North- West Make				· ·
		- 83/5			(2)
3	DOOR FRAME For EXISTING TABLE	SET	1		
	Consisting of following itmes	i de		9	
- 1 - 13	a) Door Frame				
	i)Size:- 500mm L x680mm H :-1No	1 -			
2 24H Ju	ii)Size:- 1135mm L x480mm H :-1No				
	iii)Size:- 1135mm L x490mm H :-1No				
11 4	iv)Size:- 1110mm L x490mm H :-1No				
		4.1			
	Rates Quoted are Our FACTORY AT SILVASSA.			TOTAL	e.
				The same of the sa	

(<u>G & L– Silvassa)</u> ( A Government of India Enterprise ) Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230. Phone- (0260)3260332, Fax-(0260)2680009, E-mail srivastava.sk@balmerlawrie.

Basic Value	
GST (HSN Code is: 94031010) @ 18%	0.00
SUPPLY AMOUNT WITH GST TAXES	0.00
Installation Charges	0.00
Service Tax (998732) @18%	0.00
SUPPLY AMOUNT WITH INSTALLATION	0.00
Transportation Charges	
FINAL SUPPLY AMOUNT WITH INSTALLATION	0.00

FINAL SUPPLY AMOU	JNT WITH INSTALLAT	rion	0.00
		23 (2)	<u> </u>
. 1 4 7 7 11 49 49 7 7	(4)		
****Mandatory: NO DEVIATION is acce	pted from the above it	em description.	
Contact Person :			
		Sécurit de la constitución de la	_
Contact Number :	2.5[1]	Signature with official stamp	
I i a de distribuir de la constantina	44.66		