

Balmer Lawrie & Co. Ltd. Container Freight Station, [ Navi Mumbai ]

Tender No : \_BL/CFS/MUM/585



**BALMER LAWRIE & CO. LTD.**

**CONTAINER FREIGHT STATION**

**[PLOT NO.1, SECTOR-7, DRONAGIRI NODE, NAVI MUMBAI-400707**

**Phone No 2724 0466 /2724 2988, Fax No. 2724 2943**

**E-mail: [bhattacharya.durjay@balmerlawrie.net](mailto:bhattacharya.durjay@balmerlawrie.net)**

**CIN - L15492WB1924GOI004835**

**TENDER NO: BL/CFS/MUM/585**

**TECHNICAL / COMMERCIAL BID**

**Tender Document for**

**/Supply and installation of 13.00 metre light pole suitable for  
mounting of two nos of flood light**

**[DUE DATE & TIME: 01/02/2018 [5.00 pm ]**

**INDEX**

<b>S. NO.</b>	<b>PARTICULARS</b>	<b>PAGE NO.</b>
1	Index	2
2	Notice Inviting Tender	3
3	Scope of Work	5
4	General Terms and conditions	6
5	Declaration accepting terms & conditions by bidder	11
6	Particulars of the organization	12
7	Price Bid	13

### **NOTICE INVITING TENDER**

Online bids are invited from the registered Vendors in our CFS or any other units of Balmer Lawrie and who fulfill the eligibility criteria mentioned elsewhere in the tender document under the Heading General Terms and Conditions, for undertaking the subject contract for **Supply and installation of 13.00 metre light pole suitable for mounting of two nos of flood light**

Tenderers are advised to download Notice Inviting Tender along with other tender documents from the e-tendering portal <https://balmerlawrie.eproc.in>. The tender has to be submitted online.

The scanned copies of other required documents in support of bidder's credentials are to be uploaded along with the tender documents through the appropriate link.

S. No	Description	Details
1	Name of Work	<b>Supply and installation of 13.00 metre light pole suitable for mounting of two nos of flood light</b>
2	Tender No	<b>BL/CFS/MUM/585</b>
3	Validity Of Offer	60 days from the date of opening of the price bid
4	Completion period	<b>1 month</b>
5	Tender Fee	<b>Not applicable</b>
6	EMD	<b>Rs. 3000/-</b>
7	Downloading / Submission of Tender :	
	a. Starts on	<b>20/01/2018 3.300 pm</b>
	b. Closes on	<b>01/02/2018 5.00 pm</b>
8	Opening of Tenders	<b>01/02/2018 5.30 pm</b>

#### **1 LIST OF DOCUMENTS TO BE UPLOADED**

The scanned copies of following documents should also be uploaded at appropriate link in our e tendering system as part of the technical/commercial bid submission.

- a. Certificate of registration/incorporation in the case of Pvt Ltd/Public Ltd Company/ certified copy of partnership deed in the case of LPP/Partnership firm/ any document under the relevant rules/laws if the firm is a proprietorship firm.
- b. Income Tax PAN number
- c. GST Registration number
- d. Chartered accountant's certificate or Audited / Certified Balance sheet and Profit and Loss account of tenderer's company for last 3 years.

**In the case of bulky/voluminous documents, hard copies of the same should be submitted at our office.**

## 2 VERIFICATION OF DOCUMENTS

- a) Tenderers or their authorized representative will be required to come to our office positively as intimated along with all original documents, scanned copies of which have been submitted with the e-tender towards ascertaining their qualification.
- b) Failure on part of the tenderer to report on specified date and time for paper verification may result in rejection of the tender submitted by them without further communication.
- c) Tenderer should be in a position to produce all the original documents and/or any other information on dates as intimated or as and when required by Balmer Lawrie.
- d) Incomplete Tenders are liable for rejection without any further communication to the tenderer and decision of Balmer Lawrie in this respect will be final.
- e) Any party submitting the false or forged documents may be Black Listed, EMD could be forfeited, work could be cancelled, criminal prosecution or any other action as deemed fit may be initiated.
- f) Balmer Lawrie reserves the right to reject any or all tenders without assigning any reasons whatsoever.

### **SPECIAL INSTRUCTIONS TO THE BIDDER FOR PARTICIPATING IN E-TENDER**

Tenderers are advised to download Notice Inviting Tender along with other tender documents from the e-tendering portal <https://balmerlawrie.eproc.in> Interested parties have to submit an interest free EMD of Rs.[3000/- (*Rupees Three thousand only*)] by Demand Draft/Pay Order at our above address. The DD/PO EMD should be drawn in favour of BALMER LAWRIE & CO LTD on any Scheduled Bank, payable at [*Mumbai*]. **Parties with Valid MSMED/ NSIC Certificates is exempted from EMD. SCT/ST Category having MSMED/NSIC certifica should specifically mention .** Copies of the instruments (DD/PO) evidencing payment of EMD should be scanned & uploaded before bidding. The physical original instruments/drafts should reach our above address prior to due date and time. In case the Bidders intend to submit any additional supporting documents, the same can be submitted in physical form at our above address. Documents of only those bidders shall be entertained who are bidding on-line. **UNDER NO CIRCUMSTANCES PRICE BID SHALL BE SUBMITTED IN PHYSICAL FORM.**

Balmer Lawrie & Co. Ltd. has developed a secured and user friendly system which enables Vendors/ Bidders to Search, View, Download tenders directly and also, enables them to participate & submit Online Bids on the e-tendering site <https://balmerlawrie.eproc.in> in a secure and transparent manner which maintains confidentiality and security throughout the tender evaluation process.

**1. Procedure to submit On-line Bids**

For this purpose, Vendors/Bidders are advised to read the instructions available in the homepage of the portal <https://balmerlawrie.eproc.in> where detailed procedure for submission of bids is available under the option / link "Bidding Manual".

**1.1 Registration with e-procurement platform**

For registration and online bid submission bidders may contact HELP DESK of C1India Pvt., Ltd. details of which is available at our web-site mentioned above or they can register themselves online by logging in to the website through <https://balmerlawrie.eproc.in>

Bidders may contact the following resource persons for any assistance required in this regard.

HELPDESK NOS ARE OPEN BETWEEN 1000 HRS to 1830 HRS IST		
(MONDAY TO FRIDAY (Exclusions: Balmer Lawrie HOLIDAYS))		
Please email your issues before your call helpdesk. This will help us serving you better.		
Contact Nos. and email IDs for Balmer Lawrie helpdesk officers		
Name	E-mail	Phone Numbers
Tuhin Ghosh	<a href="mailto:tuhin.ghosh@c1india.com">tuhin.ghosh@c1india.com</a>	+91-8981165071
Ravi Gaiwal	<a href="mailto:Ravi.gaiwal@c1india.com">Ravi.gaiwal@c1india.com</a>	02266865611
Ritabrata Chakraborty	<a href="mailto:ritabrata.chakraborty@c1india.com">ritabrata.chakraborty@c1india.com</a>	+91-97487 08094
Ujjal Mitra	<a href="mailto:ujjal.mitra@c1india.com">ujjal.mitra@c1india.com</a>	+91-77026 69806
Tirtha Das	<a href="mailto:Tirtha.das@c1india.com">Tirtha.das@c1india.com</a>	+91-9163254290

**1.2 Digital Certificate authentication**

The bidder shall authenticate the bid with his Digital Certificate for submitting the bid electronically on e-procurement platform and the bids not authenticated by digital certificate of the bidder will not be accepted on the e-procurement platform.

All the bidders who do not have digital certificates need to obtain Digital Certificate. They may contact help desk of C1 India Pvt. Ltd.

**2. Special Note**

- 2.1 Bids can only be submitted before the last date and time of submission as per the date and time mentioned in the e-tender. Resubmission (if required) of bid should be completed within the stipulated date and time. The system time (IST) that will be displayed on e-tendering web page shall be the time and no other time shall be taken into cognizance.
- 2.2 Bidders are advised in their own interest to ensure that bids are uploaded and submitted successfully in e-tendering system well before the closing date and time of bid.
- 2.3 No Printed or posted Bids / offers shall be accepted.

**Balmer Lawrie & Co. Ltd. Container Freight Station, [ Navi Mumbai ]**

**Tender No : \_BL/CFS/MUM/585**

- 2.4 Balmer Lawrie does not take any responsibility in case bidder fails to upload the documents within specified time of tender submission.
- 2.5 Balmer Lawrie will not be responsible for any delay under any circumstances for non-receipt of Tenders/ submission of filled in tender documents by due date & time.
- 2.6 Bidders are requested to provide correct “e-Mail address” and “Mobile No.” for receiving updates related to e-tender from time to time.
- 2.7 The bidder has to keep track of any changes by viewing the Addendum/Corrigendum issued by the Tender Inviting Authority on time-to-time basis in the e-Procurement platform. The Company calling for tenders shall not be responsible for any claims/problems arising out of this.

**3. Filling of Tender Documents**

- 3.1 The tenderers are requested to carefully study all the tender documents and tender conditions before quoting their rates.
- 3.2 The tender must be strictly in accordance with the terms and conditions and specifications laid out in the tender.
- 3.3 Any terms and conditions given by the tenderer in their offers will not be binding on Balmer Lawrie.

The sole proprietor or authorised representative shall sign all documents that need to be uploaded.

### **SCOPE OF WORK**

Supply Fixed type High Mast Pole (Top-110mm, Bottom- 242 mm) of clear height 12.5 meters with hexagonal/round bracket and foundation bolts suitable for max. 6 nos floodlight fixtures on provided foundation as per specification no.OH-PL/OPL (excluding luminaries)

Erection of poles with provision of junction box with 5 Amp 10 KA MCB for individual MCB, 1.5 sqmm flexible canle from junction box to luminaries

Providing & casting of M- 20 grade reinforced cement concrete (RCC) foundation suitable for 9m & 10m high octagonal /conical G.I. pole considering the safe soil bearing capacity at site as 10 T/sq m at 1.5 m depth including supply of steel, concrete, excavation and fixing provided nut bolts with the help of template as per design in an approved manner.

Supply and installation of 120 watt LED flood light fitting.

Supply and carrying out coil earthing for street light pole made from 8 SWG GI wire- 10 mtr. long buried in a pit of 1.0 mtr. depth with 3 KG. each of salt and charcoal

**Supply and laying of 3.5 C 25 sqmm, Aluminium conductor armoured cable is not considered as the required measurements are not available**

Interested parties should visit the CFS before quoting

## **GENERAL TERMS AND CONDITIONS**

### **1. Eligibility Criteria For Techno-Commercial Bid**

- a) Payment of Interest Free EMD of Rs. [3,000/-]
- b) Bidder should be register vendor with Balmer Lawrie & Co Ltd Container Freight Station, Dronagiri, Navi Mumbai or any other unit of Balmer Lawrie & Co. Ltd.
- c) Bidder should posses valid Electrical License as per Govet. Of Maharashtra Act.
- d) Bidder should posses similar experience HT, LT, Cable link & Electrical Maintenance for at least Three years.

### **2. Submission Of Bids**

The bids should be submitted in single bid process i.e. Technical / Commercial Bid [Unpriced] bid with Price bid

For Price Bid, only the rates are to be submitted as per given format.

### **3. Tender Opening**

Unprice and price bid will be opened as per tender calender .

### **4. Acceptance of offers**

- 4.1 Balmer Lawrie reserves the right to accept any tender in whole or in part or reject any tender or all tenders or place order for any quantity, less than or more than the tendered quantity, without assigning any reason thereof.
- 4.2 Bids of any tend`erer may be rejected if a conflict of interest is detected between the bidders and Balmer Lawrie at any stage.
- 4.3 Balmer Lawrie also reserves the right to split the supply order between two or more agencies if necessary; such a step shall not form the basis for alteration of rates.
- 4.4 Balmer Lawrie is not bound to accept the lowest rate for any tender. Balmer Lawrie also reserves its right to allow Public Enterprises (Central / State) price / purchase / contract / service preference as admissible under the existing Government policy. The decision of Balmer Lawrie in this connection will be final.
- 4.5 Incomplete tenders, conditional tenders, tenders received late or tender not conforming to the terms and conditions mentioned in the Tender documents or not accompanied by the requisite Earnest Money Deposit (unless exempted under the terms of this Tender) will be rejected.



## **5.Negotiations**

- 5.1 Balmer Lawrie reserves the right to negotiate with the Tenderer. Tenderer will have to attend the concerned office of Balmer Lawrie for negotiations/clarifications required from them, in respect of their quotations, without any commitment on the part of Balmer Lawrie.
- 5.2 In case of negotiation, the Tenderer should send the confirmation of outcome of such negotiation in writing so as to reach the concerned office of Balmer Lawrie within 3 days from the date of negotiation/ the time stipulated. If the Tenderer fails to comply with this requirement Balmer Lawrie reserves its right to ignore their quotation at its discretion with the attendant remedies available to them.

## **6 Price Variation**

- 6.1 The price should be firm and irrevocable and not subject to any change whatsoever even due to increase in cost of materials, components and labour cost till the validity of the contract period.
- 6.2 The offer shall be valid for a period of minimum 60 days from the date of opening the price Bid.

## **7.Notification Of Award**

Prior to the expiry period of Bid validity, BL will place purchase order or letter of indent on the successful bidder(s).

## **8. Completion period**

Within one month from the date of placement of our Letter of Intent(LOI)/Purchase Order.

## **9.Security Deposit / EMD**

The Earnest Money Deposit of Rs. 3,000.00 of the successful bidders will be converted into Non-interest bearing Security Deposit (SD) and shall be retained till completion of the job. EMD of unsuccessful bidders will be returned after finalization of the contract.

## **10. Payment Terms**

Payment will be released within 10 (Ten) days from the date of submission of invoice after due certification by our authorized official.

## **11. Safety**

### **Safety Requirements to be followed**

#### **Housekeeping**

Contractors shall ensure that their work area is kept clean tidy and free from debris. The work areas must be cleaned on a daily basis. Any disposal of waste shall be done by the Contractor.

All equipment, materials and vehicles shall be stored in an orderly manner. Access to emergency equipment, exits, telephones, safety showers, eye washes, fire extinguishers, pull boxes, fire hoses, etc. shall not be blocked or disturbed

#### **Stairways and Ladders**

Ladders should only be used for light duty, short-term work or access in line with the below and the Site Requirements.

- a. Fabricated ladders are prohibited.
- b. Ladders will be secured to keep them from shifting, slipping, being knocked or blown over.
- c. Ladders will never be tied to facility services piping, conduits, or ventilation ducting.
- d. Ladders will be lowered and securely stored at the end of each workday.
- e. Ladders shall be maintained free of oil, grease and other slipping hazards
- f. Ladders will be visually inspected by a competent person and approved for use before being put into service. Each user shall inspect ladders visually before using.
- g. Ladders with structural defects shall be tagged "Do Not Use," immediately taken out of service, and removed from the Site by the end of the day.

#### **Tools, Equipment and Machinery**

The Contractor must ensure that all tools & equipment provided for use during the Work is:

- suitable for its intended use;
- safe for use, maintained in a safe condition and where necessary inspected to ensure this remains the case (any inspection must be carried out by a competent person and records shall be available);
- Used only by people who have received adequate information, instruction and training to use the tool or equipment.
- Provided with Earth leakage circuit breaker (ELCBs) at all times when using electric power cords. Use of electrical tape for temporary repairs is prohibited.

#### **Working at Height**

Any Work undertaken where there is a risk of fall and injury is considered to be working at height. For any Contractor Personnel working at height, Contractors shall provide fall prevention whenever possible and fall protection only when fall prevention is not practicable. Before commencing Work in a height the Contractor must obtain from BL a Permit to Work, the Permit to Work will define the requirements to be followed. Supervisor must be present at all point of time, to ensure no deviation occur during the course of work.

### **Fall Prevention System**

Fall prevention systems (e.g. fixed guardrails, scaffolds, elevated work platforms) must provide protection for areas with open sides, including exposed floor openings.

#### **Fall Protection Systems**

Where fall protection systems are used then the Contractor must ensure the following is applied:

- i. Only approved full body harness and two shock-absorbing lanyards are used,
- ii. Prior establishment of a rescue plan for the immediate rescue of an employee in the event they experience a fall while using the system,
- iii. Anchorage points must be at waist level or higher; and capable of supporting at least the attached weight,
- iv. Lifeline systems must be approved by BL before use.
- v. Use of ISI marked industrial helmet at all point of time.

### **Overhead Work**

A secure exclusion zone shall be maintained by Contractor below overhead work to prevent access. It is forbidden to work beneath a suspended load.

### **Lifting Operations**

#### **Cranes and Hoisting Equipment**

Contractors shall operate and maintain cranes and hoisting equipment in accordance with manufacturers' specifications and legal requirements.

Only Contractor Personnel trained in the use of cranes and hoists are permitted to use them.

#### **Lifting Equipment and Accessories**

All lifting equipment / accessories e.g., slings, chains, webbing, chain blocks, winches, jacks etc shall be indicated with their safe working load have an identification number visible on the unit and be inspected and tested in accordance with legal requirements.

Damaged equipment / accessories and equipment shall be tagged "out of use" and immediately removed from Site.

#### **Lockout Tag out ("LOTO")**

Prior to performing work on machines or equipment, the Contractor shall ensure that it is familiar with LOTO and Permit to Work procedures and that all of its affected Contractor Personnel receive the necessary training.

### **Barricades**

Floor openings, stairwells, platforms and walkways, and trenching where a person can fall any distance shall be adequately barricaded and where necessary, well lit. Where there is a risk of injury from a fall then rigid barriers must be used.

Barricades must also be used to prevent personnel entering an area where risk of injury is high e.g., during overhead work activity or electrical testing etc. Such barricading must provide clear visual warning..

### **Electrical Safety**

Prior to undertaking any work on live electrical equipment the Contractor must obtain a Permit to Work from BL. Where ever possible live work should be avoided. Any control measures highlighted shall be implemented prior to work commencing.

The below measures will be taken:

- a) Work practices must protect against direct or indirect body contact by means of tools or materials and be suitable for work conditions and the exposed voltage level.
- b) Energized panels will be closed after normal working hours and whenever they are unattended. Temporary wiring will be de-energized when not in use.
- c) Only qualified electrical Contractor Personnel may enter substations and/or transformer and only after being specifically authorized by BL.

### **Hot Works**

A Permit to Work must be obtained from BL prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects.

Prior to the use of temporary propane or resistance heating devices approval must be obtained from BL.

### **Environmental Requirements**

#### **Waste Management**

The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for BL to review at any time and may be subject to BL's prior approval.

Wastes (includes rinse from washing of equipment, PPE, tools, etc.) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground. Solid or liquid wastes that are hazardous or regulated in any way are not to be disposed of in general site waste receptacles.

## **12. Liability & Ensuring Safety**

The Contractor will be fully responsible for ensuring safety of lives, cargo, vehicles, property and containers within Balmer Lawrie CFS yard. Any damage to any life and/or property inside the CFS yard due to negligence/mishandling of equipment by the Operator and /or malfunctioning of the equipment would be to the account of the contractor. It is mandatory that necessary 3<sup>rd</sup> party insurance cover is kept valid by the contractor for the equipment's operating inside the CFS.

## **13. Safety and penalty:**

The Contractor will be penalized for any safety violation. The decision of the Safety Committee headed by Safety In charge will be final. For any safety violation viz. not using PPE as required by the nature of the job per violation Rs.1000 will be charged

## **14. Sub-letting of Work**

No part of the contract or any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the contractor directly or indirectly to any person, firm or corporation without the consent in writing from Balmer Lawrie. In the event of contractor contravening the conditions, Balmer Lawrie shall be entitled to get the work done from other firm at the 'Risk & Cost' of the contract.

## **15. Indemnity**

The Contractor will be required to indemnify and keep indemnified the Company against all losses and claims for injury and damage to any person or any property whatsoever which may arise out of or in consequence of the work and against all claims, demands proceedings damages, cost charges and expenses whatsoever. The company may forward the bidder any such claim demand or complaint made by any other person against the company. In such event, the contractor shall solely be liable for the disposal of the said complaint.

The contractor will be required to Indemnify and absolve the Company of all responsibilities related to employment condition of their employees and should adequately safeguard Company against any possible IR problems including those related to employment. The bidder should adhere to all State and Central Enactments related to employment such as Minimum Wages Act, Workmen Compensation Act, Provident Fund Act, Employees State Insurance Act, Gratuity Act, Bonus Act, Contract Labour [Regulations and Abolition] Act etc. Further, Company will not have any liability towards employment, remuneration or compensation in whatever manner made to the employee of the bidder. Such demand shall be settled by the bidder directly.

## **16. Arbitration**

Any dispute or difference arising under this Contract shall be referred for adjudication at Kolkata to a Sole Arbitrator to be appointed by the Chairman & Managing Director, Balmer Lawrie & Co. Ltd. and the provisions of Arbitration Act, 1996 including any statutory modifications or enactment thereof shall apply to the Arbitration proceedings. The fees of the Arbitrator, if any, shall be shared equally by both the parties.

**DECLARATION**

**Having examined the tender documents, we have understood the terms & conditions indicated in the Tender No BL/CFS/MUM/585 dt.20/01/2018 and hereby confirm our acceptance of the same.**

Place : Signature of Tenderer

Date : Name & Address

Telephone Nos.

Office:

Fax Nos. :

**ANNEXURE – A**

**PARTICULARS OF THE TENDERER'S ORGANISATION**

<b>S. No</b>	<b>Description</b>	<b>Tenderers Details</b>
<b>1</b>	Name of the Tenderer	
<b>2</b>	Address of the Registered Office	
<b>3</b>	Address of the branch / office quoting against the Tender	
<b>4</b>	Year of commencement of business	
<b>5</b>	Whether Sole Trader/ Partnership / Private Limited Co., or Public Limited Co.	
<b>6</b>	Registration No. (Under companies Act )	
<b>7</b>	Whether copy of Incorporation /Registration certificate from ROC(Registrar of company) uploaded	
<b>8</b>	Income Tax PAN no.	
<b>9</b>	Whether copy of PAN enclosed	
<b>10</b>	Whether copy of latest Income Tax Return enclosed	
<b>11</b>	GST Registration. No.	
<b>12</b>	Whether copy of GST Registration certificate enclosed	
<b>13</b>	Name of the Banker	

<b>14</b>	Whether registration under MSMED Act	
<b>15</b>	In case registered under MSMED provide registration number and copy of registration certificate.	

**PART- B : PRICE BID**

**Tender No. BL/CFS-MUM/585**

**Date : 20/01/2018**

**ITEM :** Supply and installation of 13.00 metre light pole suitable for mounting of two nos of flood light.

<b>Sl. No.</b>	<b>Description of item</b>	<b>Quantity</b>	<b>Unit Rate</b>		<b>Total</b>	
			<b>Rs.</b>	<b>P</b>	<b>Rs.</b>	<b>P</b>
1	Supply Fixed type High Mast Pole (Top-110mm, Bottom- 242 mm) of clear height 13.0 meters with hexagonal/round bracket and foundation bolts suitable for max. 2 nos floodlight fixtures on provided foundation as per specification no.OH-PL/OPL (excluding luminaries)	<b>02 NOS</b>				
2.	Erection of poles with provision of junction box with 5 Amp 10 KA MCB for individual MCB, 1.5 sqmm flexible canle from junction box to luminaries	<b>02 NOS</b>				
3	Providing & casting of M- 20 grade reinforced cement concrete (RCC) foundation suitable for 9m & 10m high octagonal /conical G.I. pole considering the safe soil bearing capacity at site as 10 T/sq m at 1.5 m depth including supply of steel, concrete, excavation and fixing provided nut bolts with the help of template as per design in an approved manner.	<b>02 NOS</b>				



**Balmer Lawrie & Co. Ltd. Container Freight Station, [ Navi Mumbai ]**

**Tender No : \_BL/CFS/MUM/585**

4	Supply and installation of 120 watt LED flood light fitting.	<b>04 NOS</b>		
5	Supply and carrying out coil earthing for street light pole made from 8 SWG GI wire- 10 mtr. long buried in a pit of 1.0 mtr. depth with 3 KG. each of salt and charcoal	<b>02 NOS</b>		
6	Supply and laying of 3.5 C 25 sqmm, Aluminium conductor armoured cable	<b>LOT</b>		
	GST as applicable @ %		@ %	
	<b>GRAND TOTAL :</b>			

|

**Total Amount in words.**

**Place**-----

**Signature of Tenderer**

**Date**-----

**Name & Address**