

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/, Sayli-Rakholi Road, Sayli, Silvassa-396230(D&NH).

Phone- (260)3260332, Fax-(0260)268009, E-mail – srivastava.sk@balmerlawrie.com

#### **TENDER ENQUIRY**

Tender No.-GLS/TE17/174

Date: - 23/03/18 Due date: - 02/04/18

Dear Sirs,

Sub: <u>Yearly Statutory Inspection, Testing and certification of Required P&M.</u> (Duration: from April 2018 to March, 2019)

Sealed offers in a single bid/ envelop, are invited as per *General Terms & Conditions*, Safety, Undertakings and Obligations of BL *and Price Schedule*.

Your offer, complete in all respect furnishing details should be submitted to us on or before the due date.

Thanking you,

Yours faithfully, For Balmer Lawrie & Co. Ltd.

Manager (Purchase)

Encl.: As above



(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/, Sayli-Rakholi Road, Sayli, Silvassa=396230(D&NH).

Phone- (260)3260332, Fax-(0260)268009, E-mail - srivastava.sk@balmerlawrie.com

Annexure-A

#### 1.1.0 General Terms & Conditions

- 1.1.1 Before filling up, the complete Tender Specification should be read properly. Avoid overwriting while filling the tender papers. The tender document may also be downloaded from our web site <a href="https://www.balmerlawrie.com">www.balmerlawrie.com</a> within the due date of the tender.
- 1.1.2 If the tenderer find any discrepancy, omission, ambiguity or conflict in or among the documents forwarded or be in doubt as to their meaning and interpretations, such matter shall be brought to the attention of the company (Balmer Lawrie & Co. Ltd.), at least four days before prior to the date of filling/submission of the Tender.
- 1.1.3 Tenderer shall visit the site and make them thoroughly acquainted with the nature and requirements of the work, facilities for access of units etc.
- 1.1.4 Tender must contains any other information / enclosures as may be needed to complete the schedule job in all respect on a separate page/sheet under 'schedule of deviations'.
- 1.1.5 Submission of tender will be the conclusive evidence as to the fact that the tenderer has fully satisfied themselves as to the nature and scope of the work, site conditions, General terms & conditions and all other factors, affecting the performance of the contract and the cost there of
- 1.2.0 Jurisdiction: All disputes are subject to Silvassa jurisdiction.
- 1.2.3 **Duration:** Originally the duration of the subject job shall be from April 2018 to March, 2019 (Twelve months period) but may be renewed for further period; based on the performance of the engaged/ successful vendor related to said jobs and with both side acceptance for the renewal.
- 1.2.4 Acceptance of tender: -Balmer Lawrie & Co. Ltd. ("BL") reserve the right to reject/accept all or any tender(s). It is mandatory that the tenderer must be registered Chartered Engineer and shall be authorized Competent Authority & capable to carryout such activity under the provision of related factory act for Daman, Diu, Dadra & Nagar Haveli.
- 1.2.5 Completion schedule:- The said related job(s) must be carry out as per norms of related factory act for Daman, Diu, Dadra & Nagar Haveli on Half early basis at our works at Balmer Lawrie & Co Ltd., Survey No 201/1, Sayli- Rakholi Road, Sayli, Silvassa 396230.
- 1.2.6 Price schedule: The price shall be quoted as per specified format given in Annexure B. The quoted price shall be inclusive of taxes. Tenderers are also advised to inspect on their own 'the SITE' for ascertaining the actual quantum and the nature of work prior to quoting. It shall be deemed that bidder has carried out the necessary inspection and no escalation in price/value shall be allowed after placement of the order or during the execution of work at site.

Krill'L

Page 2 of 7



(G & L- Silvassa)

(A Government of India Enterprise)

Phone- (260)3260332, Fax-(0260)268009, E-mail – srivastava.sk@balmerlawrie.com

- 1.2.7 Payment terms:- Half early basis: within 30 days after submission of each bill against each required job as per PO. These half early bills are to be submitted along with complete job report(s) and their respective certificates, without these said documents NO bill shall be accepted.
- 1.2.8 Validity of offer: The offers shall remain valid for a period of 60 days from the due date of the tender.
- 1.2.9 Working days & hours: All work required to be carried at B L's site, shall be done only during working days between 9.00 am. To 6:00 pm.
- 1.2.10 Company Rule: -Your engineers/ workmen have to abide by the BL factory rules and regulations. Only adult and skilled workmen shall be allowed to work in BL premises.
- 1.2.11 Responsibility of the vendor: The vendor shall be responsible for any damage caused to the property and/or machinery (including its any part) of BL, directly and/or indirectly incidental to and connected with the execution of the work and shall be liable to indemnify the value of such damaged property and/or machinery
- 1.2.12 Statutory rules and regulations: Please note that this is a contract for work and accordingly all liability pertaining to this contract including those of the people engaged by the contractor solely rests upon the contractor. The contractor should also indemnify the Company against any deviation from the statutory rules and regulations to be observed by the contractor in respect of their people. ESI/PF/Minimum Wages and all other statutory liabilities shall be borne by the contractor.

### 2.2.0 Safety

- 2.2.1 Proper safety precautions and measures to be taken care of on the principle of "Safety comes first" during the entire contract period. The contractor shall be bound to bear any claim or compensation for the accidents, injury and death arising out of negligence on their part to ensure such safety measures including the expenditure for defense legal proceedings.
- 2.2.2. It is MUST for the vendor to inform and obtain a permissions from BL, to carry out the proposed jobs PRIOR to start AND also to obtain a WORK PERMIT in MANDATORY.
- 2.2.3 Care shall be taken to provide and maintain the following safety measures and statutory safety rules and act in force by contractor.
- 2.2.4 Safety belts, helmets & goggles (if required) to be provided by the contractor to all the workmen.
- 2.2.5 Hoisting machines and tackles including their attachments, anchorage and supports of adequate capacity should be used for handling heavy equipments.
- 2.2.6 Workmen engaged in electrical work should be provided with gloves, and footwear's of adequate insulation value.
- 2.2.7 Workmen engaged in toxic chemicals, paints etc should be provided with gumboots, gloves, goggles mask and other protective attachment depending upon the depth of expected hazard.

State 1



(A Government of India Enterprise) Survey No. 201/, Sayli-Rakholi Road, Sayli, Silvassa-396230(D&NH). Phone- (260)3260332, Fax-(0260)268009, E-mail – srivastava.sk@balmerlawrie.com

- All safety requirements depending on the nature of work should be provided to minimize the occurrence of accidents.
- All necessary safety measures to be take care as indicated in section 1104.
- 3.0.0 Undertakings and Obligations of BL
- 3.1.0 Power supply: BL shall provide free one power point within battery limits. Contractor may use an extension cable at this own cost with prior permission of BL.
- 3.2.0 Storage: BL shall provide space for storage of equipments, raw material etc. Temporary partition, doors etc if required shall be arranged by the vendor at this own cost.
- Security: No special security other than normal plant security shall be provided. 3.3.0
- 4.0.0 **Brief Scope of Work**
- NECESSERY TESTING TO BE REQUIRED FOR PRESSURE VESSEL & AIR RECEIVER: 4.0.1
  - a. Thickness of cell by Ultrasonic thickness tester.
  - b. Testing of Safety valves and also resetting the valves.
  - c. Hydro test of safety valves and resting of same.
- NECESSERY TESTING TO BE REQUIRED FOR LIFTING EQUIPMENT: 4.0.2
  - a. Actual load testing at 1.25 time's safe working load given by the manufacturer.
  - b. Checking of all 3axis X,Y,Z movements, upper, lower & limit switch.
  - c. Checking of rope condition on load condition.
  - d. Checking of all interlocking system with collapsible grills in case of Goods cage lift.
  - e. Checking of 'brake' system of Forklift & Goods cage.



(G & L- Silvassa)

(A Government of India Enterprise)
Survey No. 201/, Sayli-Rakholi Road, Sayli, Silvassa=396230(D&NH).
Phone- (260)3260332, Fax-(0260)268009, E-mail – srivastava.sk@balmerlawrie.com

Annexure - B

### **Price Schedule**

Statutory Inspection, Testing and Certification Job							
	Name of machine/devise	Rate	Unit	Amount			
1 1	Air receiver no- 27252 , 500lts,Type- Cylindrical, Horizontal Make - Elgi		1 No.				
2	Air receiver no- Nil Cylinderical,Vertical,1000 lts.		1 No.				
3	Air receiver no- Nil Cylinderical,Vertical,2000 lts.	-	1 No.				
4	Fork lift 2.00 MT capacity, Diesel operated, voltas make no-FLT-01 - 126922		1 No.				
5	Fork lift 2.00 MT capacity, Diesel oprated,voltas make no-FLT-02-4S - 19242		1 No.				
6	Fork lift 2.00 MT capacity, Diesel oprated,voltas make no-FLT-03-A 21794		1 No.				
7	Fork lift 2.00 MT capacity, Diesel oprated,voltas make no-FLT-04- 159103		1 No.				
8	Fork lift 2.00 MT capacity, Battery oprated, voltas make no-FLT-05 - 191500		1 No.				
9	Fork lift 2.00 MT capacity, Battery oprated, voltas make no-FLT-06 - 191501		1 No.				
10	Thermopack coll no-TP -04/ONF/90 Type -Cylindrical, vertical		1 No.				
11	Thermopack coil no-TP -06/F/P/193 Type -Cylindrical, vertical		1 No.				
12	Thermopack coil no-TP -06/F/P/175 Type -Cylindrical, vertical		1 No.				
13	Thermopack coil no-TPD -04/ONF/90 Type -Cylindrical, vertical		1 No.				
14	Drum Lifter, Hydraulic Operated 05 ton capacity NO - HL - 1		1 No.				
15	Goods cage Lift 1.0 ton capacity Hydraulic operated	Appropriate Approved to the Primer and the	1 No.				
16	Goods cage Lift 2.0 ton capacity Hydraulic operated	-	1 No.	45-			
17			1 No.				



(G & L- Silvassa)

(A Government of India Enterprise)
Survey No. 201/, Sayli-Rakholi Road, Sayli, Silvassa-396230(D&NH).
Phone- (260)3260332, Fax-(0260)268009, E-mail – srivastava.sk@balmerlawrie.com

18	DRBFA Storage Tank - ST NO -19 , Capacity - 25 KL, Type - cylindrical , Make-MK ROY & BROTHER	1 No.	
19	Tallow Storage Tank - ST NO -17 , Capacity - 25 KL, Type - cylindrical , Make-MK ROY & BROTHER	1 No.	
20	Bitumen Storage Tank-No - BT-901,Capacity-50KL, Type Cylindrical	1 No.	
21	Bitumen Blending Kettle -No - BK-902,Capacity-10KL, Type Cylindrical	1 No.	
22	Base oil storage Tank ST-101 to ST-109	8 No.	
23	Polymer Blending kettle- BK -No - 612, Capacity-10KL, Type Cylindrical.	1 No.	
24	Oil Blending kettle- BK -No - 601, Capacity-10MT, Type Cylindrical.	1 No.	-
25	Oil Blending kettle- BK -No - 602, Capacity-10MT, Type Cylindrical.	1 No.	
26	Oil Blending kettle- BK -No - 604, Capacity-5MT, Type Cylindrical.	1 No.	
27	Oil Blending kettle- BK -No - 605, Capacity-1.5MT, Type Cylindrical.	1 No.	
28	Oil Blending kettle- BK -No - 607, Capacity-25MT, Type Cylindrical.	1 No.	
29	Oil Blending kettle- BK -No - 608, Capacity-15MT, Type Cylindrical.	1 No.	
30	Oil Blending kettle- BK -No - 609, Capacity-8MT, Type Cylindrical.	1 No.	
31	Oil Blending kettle- BK -No - 610, Capacity-10MT, Type Cylindrical.	1 No.	
32	Fat Melter No- FM-205, Capacity -5MT, Type Cylindrical.	1 No.	
33	Processing Kettle No- PK- 201 ,Type Cylindrical,Capacity-3.5MT	1 No.	
34	Processing Kettle No- PK- 202 ,Type Cylindrical,Capacity-3.5MT	1 No.	
35	Processing Kettle No- PK- 203 ,Type Cylindrical,Capacity-3.5MT	1 No.	
36	Saponator No- 02 , Capacity -5.5 MT, Make-Standard Engineers	1 No.	£24



(G & L- Silvassa)

(A Government of India Enterprise)

Phone- (260)3260332, Fax-(0260)268009, E-mail - srivastava.sk@balmerlawrie.com

37	Saponator No- 03, Capacity - 5.5 MT, Make Chemetherm		
3/		1 No.	
38	Safety valve of air receiver no- 3281/AC-04,150 lts, Type-Cylindrical, Make -Elgi	1 No.	
39	Safety valve of air receiver no-Nil Cylinderical,Vertical,1000 lts.	1 No.	
40	Safety valve of air receiver no- Nil Cylinderical,Vertical,1000 lts.	1 No.	
41	Safety Valve of Saponatator no-02	1 No.	
42	Safety Valve of Saponatator no-03	1 No.	
43	Electric Stacker of 1000kg capacity, make-Godrej Model-ESW1555W Sl no-14030124		
44	Electric Stacker of 1000kg capacity, make-Godrej Model-ESW1555W SI no-14030125		
45	Electric Chain Hoist with Trolley 2 T Capacity Make -Brady & Morris	3Nos	
1	Chain Pulley Block -3 Ton Capacity	1No	,
	Value for one Service on Half Yearly basis		
	Total Value for Two Times Service in One Year		
	GST @		
	SAC no under GST		
	Total Amount		,

Mandatory: 1 It is MUST for the vendor to inform and obtain a permissions from BL, to carry out the proposed jobs PRIOR to start AND also to obtain a WORK PERMIT in MANDATORY.

2. Bills are to be submitted along with complete job report(s) and their respective certificates, without these said documents - NO bill shall be accepted.

Bidder's Company Name:

Contact Person:

Contact No.:

Signature with official stamp

Page 7 of 7

perel'L