

**Balmer Lawrie & Co Ltd**  
(A Government of India Enterprise)  
Corporate Office: 21, Netaji Subhas Road, Kolkata - 700 001  
Branch Office: 301/302, Regency House, 680, Somajiguda,  
Hyderabad, Tel # 040-23412792, 23404556

Enquiry Ref: TTC/HYD/2018/19/18

Dated: 10/08/2018

To,  
All Interested Transporters,

Re: Requirement for Transportation of material from from Research Center Imarat, Vignan Kancha, RCI Road, Hyderabad to ALPHA DESIGN TECHNOLOGIES PVT. LTD, Module No 305 & 306, 3rd Floor, NSIC -EMDBP Building, Kamalanagar North, Kushaiguda, ECIL Post, Hyderabad - 500062, including loading, lashing, and unloading at destination.

Dear Sirs,

Qty / Weight / Dims : As per attached Packing list

Mode of Transportation: By Road.

Format for Quotation:

**Rate for movement of Items mentioned in packing list 1 & 2 by road from Research Center Imarat to ALPHA DESIGN TECHNOLOGIES PVT. LTD, Module No 305 & 306, 3rd Floor, NSIC -EMDBP Building, Kamalanagar North, Kushaiguda, ECIL Post, Hyderabad - 500062**

SL. No	Type of Vehicle	Rate in INR	Detention rate after 48 Hrs
1			
2			
3			
4			
5			
6			

**Lashing, Loading & Unloading (Loading and unloading using 3MT FLT & 10MT Crane)**

SL. No	Particulars	Rate in INR
1	Lashing - Lump sum	
2	Loading - Lump sum	
3	Unloading- Lump sum	

### **Terms & Conditions:**

- 1) 100% payment will be made within 20 days of submission of the bills along with the Proof of Delivery Challans and satisfactory completion of the job.
- 2) Contractor will be responsible for payments on account of fuel, running, repairs & maintenance, upkeep, insurance, safety, taxes or levy or any penalty for any reason in relation to the vehicle. Drivers of the transporter should hold valid driving licenses. Contractor will be solely responsible to comply with all local & central laws relating to running/ownership of such commercial vehicles and shall arrange inter-state permits in advance at his costs only.
- 3) The drivers should have mobile phones whose no. is to be provided to us prior to movement of the containers from Port and they should keep us informed about movement of cargo in transit.
- 4) In case of detention of vehicles due to any lapse on the part of the transporter or its drivers or the owner of the vehicles, no claim for detention charges shall be entertained by the company.
- 5) The transporter should have handled similar jobs in the past for Govt. Dept. / PSUs / reputed corporate customers. Experience will be given a good weight while deciding the contract.
- 6) While transporting the goods, the transporter will strictly adhere to the following principles of safety:
  - a. Transportation at allowed speed limit only.
  - b. Consignment shall be transported during day/night time and shall be halted (if required) only near a Police Station during night hours. Wooden Sleepers / Sand Bags to be provided at the wheels to arrest the movement of the vehicle during transit / night halt.
  - c. All relevant papers of the vehicle such as RTO Clearance, Fitness, Insurance, License, inter-state permits etc., must be available with the vehicle.
  - d. During transit, one spare wheel and complete tool kit must be available with each vehicle.
  - e. The driver and cleaner to each vehicle must be available with the convoy during loading, transit & unloading of the consignments.
  - f. Transporter must ensure that the cargo is covered and protected from rain with the use of Tarpaulin etc.,
- 7) The vehicles will be allowed to start its travel by as per our instructions. Detention charges will be paid for loading / unloading of the consignment if any delay beyond 24 hrs hour from the time of vehicle report.
- 8) In case of any breakdown/detention of the vehicles due to any failure on the part of the transporter, it will be the contractor's responsibility to provide alternative arrangements for contracted transportation at transporter's costs only.
- 9) In case of any loss incurred due to non-delivery/late delivery/misplacement/damage of the consignment while under the possession of the transporter, the damages claimed by the client are recoverable from the contractor.
- 10) Bids of any tenderer may be rejected if a conflict of interest between the bidder and the company is detected any stage.
- 11) All the vehicles, cranes have to be placed within a days time of intimation at designated place.

Interested bidders are requested to submit their competitive offer clearly with all fabrication as per requirement. Chargeable rate per vehicle for transportation. The offer in a sealed envelope superscribing Requirement for Transportation of material from from **Research Center Imarat, Vignan Kancha, RCI Road, Hyderabad to ALPHA DESIGN**

**TECHNOLOGIES PVT. LTD, Module No 305 & 306, 3rd Floor, NSIC -EMDBP Building, Kamalanagar North, Kushaiguda, ECIL Post, Hyderabad – 500062, including loading, lashing, and unloading at destination,** should reach to the Branch Office at Hyderabad under the kind attention to the undersigned on or before 14.08.2018 by 1500 hours. Any offer without conforming to above requirements shall be rendered invalid and not considered.

Mailing Address :  
Balmer Lawrie & Co. Ltd  
Logistics Services - Hyderabad  
301 Regency House,  
680 Somajiguda,  
Hyderabad-82

For BALMER LAWRIE & CO. LTD.,

  
  
Usha Srinivasan  
Chief Manager –Logistics

# BOXES

Lot num	Weight (KG)	Length (CM)	Width (CM)	Height (CM)
100142948	270.000	137.000	107.000	181.000
100142947	150.000	95.000	73.000	180.000
100142946	190.000	105.000	71.000	170.000
100142945	110.000	130.000	80.000	134.000
100142944	150.000	177.000	80.000	96.000
100142943	50.000	268.000	47.000	53.000
100142942	100.000	105.000	70.000	86.000
100142941	280.000	150.000	150.000	160.000
100142940	100.000	110.000	83.000	84.000
100142939	140.000	185.000	108.000	52.000
100142938	380.000	115.000	72.000	220.000
100142937	790.000	200.000	130.000	223.000
100142936	1.900.000	220.000	175.000	223.000
100142935	220.000	190.000	162.000	100.000
100142934	190.000	106.000	108.000	105.000
100142933	220.000	91.000	91.000	160.000
100142932	160.000	106.000	80.000	145.000
100142931	250.000	212.000	81.000	122.000
100142930	60.000	225.000	85.000	100.000
100142929	268.000	225.000	195.000	207.000
100142928	258.000	225.000	195.000	207.000
100142927	233.000	225.000	195.000	207.000
100142926	830.000	330.000	226.000	141.000

1001143852	500,000	220,000	135,000	100,000
1001143851	680,000	380,000	100,000	140,000
1001142950	2,608,000	326,000	122,000	215,000
1001142949	7,000,000	365,000	226,000	223,000

**DELIVERY ITEMS**

## PACKING LIST


Shielded Anechoic Chamber (AEC) No.

AEC 4/15

Invoice No. & date

Inv.No.26 dated 12-Mar2018

S.No.	Description of Item	Quantity in each pack	No.of Packs	Packing Code
1	Trolley base frame-01 Size: 4644x1807mm	1 No.	1 Pack	TBF-01
2	Trolley base frame-02 Size: 4644x1807mm	1 No.	1 Pack	TBF-02
3	Floor Panel-Front Part with one side outer sealing angle and 2 Nos ISO Corners; Size: 4578mm x 1764mm	1 No.	1 Pack	FLP-01
4	Floor Panel- Rear Part with 1 side outer sealing angle and 2 Nos ISO Corners; Size: 4578mm x 1764mm	1 No.	1 Pack	FLP-02
5	Roof Panel-Front Part with opening and 1 side outer sealing angle and 2 Nos ISO Corners; Size: 4578mm x 1764mm	1 No.	1 Pack	RP-01
6	Roof Panel- Rear Part with one side outer sealing angle and 2 Nos ISO Corners; Size: 4578mm x 1764mm	1 No.	1 Pack	RP-02
7	Right Side Panel; Size: 3454mm x 2204mm	1 No.	1 Pack	RSP-01
8	Left Side Panel with main door and ventilation opening Size: 3454mm x 2204mm	1 No.	1 Pack	LSP-01
9	Front Side Panel with UUT plate painted and two sides outer sealing angle; Size: 4578mm x 2204mm	1 No.	1 Pack	FSP-01
10	Back Side Panel with connector plate and two sides outer sealing angle Size: 4578mm x 2204mm	1 No.	1 Pack	BSP-01
11	40x40x3mm Inner Sealing Angle length 3660mm	12 Nos	1 Pack	PKG-1
12	95x95x3mm Outer Sealing Angle length 3300mm	4 Nos	1 Pack	PKG-2
13	100x3mm Aluminium Strip with one side paint length: 2250mm	4 Nos	1 Pack	PKG-3
14	100x3mm Aluminium Strip without paint length: 2250mm	4 Nos	1 Pack	PKG-4
15	Power Cable Duct 50x40mm	6 Mtrs	1 Pack	PKG-5
16	Power Cable Duct 50x25mm length: 4500mm	4.5 Mtrs	1 Pack	PKG-6
17	Absorbers-VHP-8-NRL-Part No. 510800000 Box Size: 64CM x 64 CM x 51CM	2 Nos	77 Carton Boxes	Carton Box Nos. 1 to 77
18	Absorbers-VHP-8-NRL-Part No. 510800000 Box Size: 64CM x 64 CM x 51CM	1 No.	1 Carton Box	Carton Box No.78
19	Absorbers-VHP-8-VW-R(A6)-Part No. 510820020 Box Size: 64CM x 64 CM x 51CM	1 No.	1 Carton Box	Carton Box No.79
20	Absorbers-VHP-8-NRL-CO(A2)-Part No. 510800300 Box Size: 64CM x 64CM x 27 CM	2 Nos	1 Carton Box	Carton Box No.80
21	Absorbers-VHP-8-NRL-SCO(A3)-Part No. 510801300 Box Size: 73CM x 64CM x 28CM	1 No.	1 Carton Box	Carton Box No.81
22	Absorbers VHP-4-NRL-VCSY-Part No. 510431030 Absorbers VHP-8-NRL-SCOA(A4 &A5)-Part No. 510801300 Absorbers FS-50 NRL-Part No. 525000000 Velcro 2" Part No.525000000; Box Size: 64CM x 64CM x51CM	1 No. 2 Nos 3 Nos 6 Mtrs	1 Carton Box	Carton Box No.82
23	Absorbers FS-50 NRL-Part No. 525000000 Box Size: 64CM x 64CM x 51CM a) ITU	9 Nos 1 No.	3 Carton Boxes 1 Wooden	Carton Box No.82 to 84 Wooden Box.



	b) PDB	1 No.	Box	No.1
	c) Fire Alarm Panel	1 No.		
	d) Fire alarm Panel-Hooter	1 No.		
	e) Exhaust Fan with Grill	1 No.		
	f) Exhaust Fan Base	1 No.		
	g) Exhaust Fan Grill	1 No.		
	h) Adaptor Test Box Top Hats	2 Nos		
	i) Smoke Detector	1 No.		
	j) Smoke Detector Clamp	1 No.		
	k) EMI Filter Brackets	4 Nos		
	l) Aluminium Foil and Copper Mesh	4 Nos		
	m) Cable Ducts-Cut Pieces	4 Nos		
	n) Cable Ducts for Corners	3 Nos		
	o) Electrical Junction Boxes	2 Nos		
	a) Ventilation Frame with Honey Comb-01 & 02	2 Nos		
	b) Sprit Level Indicator Clamps	2 Nos		
	c) Hooter Clamp	1 No.		
	d) Wave Guide Brackets With Flats	11 Nos		
	e) LED Lights with brackets & corner clamps	2 Sets		
24	f) ISO Corner Caps, dummies, & ALU foils	8 Sets	1 Wooden Box	Wooden Box. No.2
	g) Wheels With Base Plates & Fasteners	8 Sets		
	h) Power cables	1 Set		
	i) Leveling jacks spanner (Wrachet type with big handle)	2 Nos		
	j) UUT EMI gasket	1 No.		
	k) Pop rivets with rubber washers	3000 Nos		
	a) Adaptor Top Hat	1 No.		
25	b) EMI Filters	2 Nos	1 Wooden Box	Wooden Box. No.3
	c) All fixing fasteners	29 Packs		
	a) Jack plates with bushes	6 Nos		
26	b) Screw rods	5 Nos	1 Wooden Box	Wooden Box. No.4
	c) Trolley ISO corner fixing plates	4 Nos		
	a) Jack plates with bushes	4 Nos		
27	b) Foot plates	10 Nos	1 Wooden Box	Wooden Box. No.5
	c) Screw rods	5 Nos		
	<b>GROSS WEIGHT</b>			<b>3800 KG</b>
	<b>NET WEIGHT</b>			<b>3250 KG</b>